


Pignoni

5 x 2,5 mm

03 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606



PIGNONE

mm

Raggio dente r₃

5

Larghezza raggio C

0,4

Largh. dente pign. B₁

2,3

CATENA

mm

Passo

5

Largh. interna


2,5

Rullo - ø

3,2

Materiale Fe 50

Z	d _e	d _p	S			D			T		
			d _m	D ₁	A	d _m	D ₂	A	d _m	D ₃	A
8	14,8	13,06	7	4	10						
9	16,4	14,62	8	5	10						
10	17,9	16,18	9	5	10						
11	19,5	17,75	11	6	10						
12	21,1	19,32	12	6	10						
13	22,6	20,89	14	6	10						
14	24,2	22,47	15	6	10						
15	25,8	24,04	16	6	10						
16	27,4	25,63	18	8	13						
17	29,0	27,20	18	8	13						
18	30,5	28,79	18	8	13						
19	32,1	30,38	18	8	13						
20	33,7	31,96	18	8	13						
21	35,3	33,54	20	8	13						
22	36,9	35,13	20	8	13						
23	38,5	36,72	20	8	13						
24	40,1	38,30	20	8	13						
25	41,6	39,89	20	8	13						
26	43,2	41,48									
27	44,8	43,07	25	8	15						
28	46,4	44,65	25	8	15						
29	48,0	46,25	25	8	15						
30	49,6	47,83	25	8	15						
31	51,2	49,42	30	8	15						
32	52,8	51,01	30	8	15						
33	54,4	52,60	30	8	15						
34	55,9	54,19	30	8	15						
35	57,5	55,78	30	8	15						
36	59,1	57,37									
37	60,7	58,96	30	8	15						
38	62,3	60,54	30	8	15						
39	63,9	62,13	30	8	15						
40	65,5	63,73	30	8	15						




Pignoni

6 x 2,8 mm

04 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606



PIGNONE

mm

Raggio dente r₃

6

Larghezza raggio C

0,6

Largh. dente pign. B₁

2,6

CATENA

mm

Passo

6


Largh. interna

2,8

Rullo - ø

4

Z	d _e	d _p	S			D			T		
			d _m	D ₁	A	d _m	D ₂	A	d _m	D ₃	A
8	18,0	15,67	9,8	5	10						
9	19,9	17,54	11,5	5	10						
10	21,7	19,42	13	6	10						
11	23,6	21,30	14	6	10						
12	25,4	23,18	16	6	10						
13	27,3	25,05	18	6	10						
14	29,2	26,96	20	6	10						
15	31,1	28,86	20	6	10						
16	33,0	30,76	20	8	13						
17	35,0	32,65	20	8	13						
18	36,9	34,55	20	8	13						
19	38,8	36,44	20	8	13						
20	40,7	38,34	20	8	13						
21	42,6	40,25	25	8	13						
22	44,5	42,16	25	8	13						
23	46,4	44,06	25	8	13						
24	48,3	45,96	25	8	13						
25	50,2	47,87	25	8	13						
26	52,1	49,77	30	8	15						
27	54,0	51,67	30	8	15						
28	55,9	53,58	30	8	15						
29	57,8	55,50	30	8	15						
30	59,8	57,42	30	8	15						
31	61,7	59,31	30	10	15						
32	63,6	61,21	30	10	15						
33	65,5	63,11	30	10	15						
34	67,4	65,02	30	10	15						
35	69,3	66,93	30	10	15						
36	71,2	68,84	30	10	15						
37	73,1	70,75	30	10	15						
38	75,0	72,66	30	10	15						
39	76,9	74,56	30	10	15						
40	78,9	76,47	30	10	15						
45	88,5	86,01	62	12	18						
48	94,2	91,74	62	12	18						
50	98,0	95,55	62	12	18						




Corone

5 x 2,5 mm

03 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606




Da Z 51 h=4 mm

CORONA mm

Raggio dente r_3 5
Larghezza raggio C 0,4
Largh. dente corona B_1 2,3

CATENA mm

Passo 5
Largh. interna 2,5
Rullo - $\varnothing$ 3,2




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	14,8	13,06	4		
9	16,4	14,62	4		
10	17,9	16,18	4		
11	19,5	17,75	5		
12	21,1	19,32	5		
13	22,6	20,89	5		
14	24,2	22,47	5		
15	25,8	24,04	5		
16	27,4	25,63	6		
17	29,0	27,20	6		
18	30,5	28,79	6		
19	32,1	30,38	6		
20	33,7	31,96	6		
21	35,3	33,54	8		
22	36,9	35,13	8		
23	38,5	36,72	8		
24	40,1	38,30	8		
25	41,6	39,89	8		
26	43,2	41,48	8		
27	44,8	43,07	8		
28	46,4	44,65	8		
29	48,0	46,25			
30	49,6	47,83	8		
31	51,2	49,42			
32	52,8	51,01	8		
33	54,4	52,60	8		
34	55,9	54,19	8		
35	57,5	55,78	8		
36	59,1	57,37	8		
37	60,7	58,96	8		
38	62,3	60,54	8		
39	63,9	62,13			
40	65,5	63,73	8		
41	67,1	65,31			
42	68,7	66,91	8		
43	70,2	68,49			
44	71,8	70,09	8		
45	73,4	71,68	8		
46	75,0	73,27	8		
47	76,6	74,86			
48	78,2	76,45	8		
49	79,8	78,03			
50	81,4	79,63	8		
51	83,0	81,22			
52	84,6	82,81	10		
53	86,2	84,40			
54	87,7	85,97	10		
55	89,3	87,58	10		
56	90,9	89,17	10		
57	92,6	90,76	10		
58	94,1	92,35	10		
59	95,7	93,94			
60	97,3	95,53	10		
62	100,5	98,72	12		
64	103,7	101,90			
65	105,2	103,49	12		
66	106,8	105,08	12		
68	110,0	108,26			
70	113,2	111,44	12		
72	116,4	114,63			
75	121,2	119,40	12		
76	122,7	120,99	12		
78	125,9	124,17			
80	129,1	127,35	12		
85	137,1	135,31	14		
90	145,0	143,27	14		
95	153,0	151,22	14		
100	160,9	159,18	14		
110	176,8	175,09	14		
114	183,2	181,46	14		
120	192,8	191,01	14		
125	200,7	198,96	14		

Corone

6 x 2,8 mm

04 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606




Da Z 51 h=4 mm

CORONA mm

Raggio dente r_3 6
Larghezza raggio C 0,6
Largh. dente corona B_1 2,6

CATENA mm

Passo 6
Largh. interna 2,8
Rullo - $\varnothing$ 4




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	18,0	15,67	5		
9	19,9	17,54	5		
10	21,7	19,42	6		
11	23,6	21,30	6		
12	25,4	23,18	6		
13	27,3	25,05	8		
14	29,2	26,96	8		
15	31,1	28,86	8		
16	33,0	30,76	8		
17	35,0	32,65	8		
18	36,9	34,55	8		
19	38,8	36,44	8		
20	40,7	38,44	8		
21	42,6	40,25	8		
22	44,5	42,16	8		
23	46,4	44,06	8		
24	48,3	45,96	8		
25	50,2	47,87	8		
26	52,1	49,77	8		
27	54,0	51,67	8		
28	55,9	53,58	8		
29	57,8	55,50			
30	59,8	57,42	8		
31	61,7	59,31			
32	63,6	61,21	10		
33	65,5	63,11	10		
34	67,4	65,02	10		
35	69,3	66,93	10		
36	71,2	68,84	10		
37	73,1	70,75	10		
38	75,0	72,66	10		
39	76,9	74,56			
40	78,9	76,47	10		
41	80,8	78,38			
42	82,7	80,28	12		
43	84,7	82,19			
44	86,6	84,10			
45	88,5	86,01	12		
46	90,4	87,92	12		
47	92,3	89,83			
48	94,2	91,74	12		
49	96,1	93,64			
50	98,0	95,55	12		
51	99,9	97,47			
52	101,8	99,37	12		
53	103,7	101,27			
54	105,6	103,17	12		
55	107,6	105,08	12		
56	109,5	107,00	12		
57	111,4	108,93	12		
58	113,3	110,82	12		
59	115,2	112,71			
60	117,1	114,62	12		
62	120,9	118,45	16		
64	124,7	122,27	16		
65	126,6	124,18	16		
66	128,5	126,09	16		
68	132,4	129,91			
70	136,2	133,73	16		
72	140,0	137,55			
75	145,7	143,28			
76	147,6	145,19	16		
78	151,5	149,01			
80	155,3	152,82	16		
85	164,8	162,37	16		
90	174,4	171,92	16		
95	183,9	181,47	16		
100	193,5	191,01	16		
110	211,6	210,11			
114	220,2	217,75			
120	231,7	229,20	16		
125	241,2	238,75	16		

Pignoni

8 x 3,0 mm

05B - 1 - 2

per catene a rulli
secondo DIN 8187
ISO/R 606



PIGNONE mm



Raggio dente r_3	8
Larghezza raggio C	0,8
Largh. dente pign. B_1	2,8
Largh. dente pign. b_1	2,7
Largh. dente pign. B_2	8,3

CATENA mm

Passo	8
Largh. interna	3
Rullo - $\varnothing$	5

Materiale Fe 50

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	23,4	20,90	13	6	12	12	6	18			
9	25,9	23,39	15	6	12	15	6	18			
10	28,4	25,89	17	6	12	17	8	18			
11	31,0	28,39	18	7	13	19	8	18			
12	33,7	30,91	20	7	13	21	8	18			
13	36,7	33,42	23	7	13	24	8	18			
14	39,2	35,95	25	7	13	26	8	18			
15	41,7	38,48	28	7	13	29	8	18			
16	44,2	41,01	30	8	14	32	10	20			
17	46,7	43,53	30	8	14	34	10	20			
18	49,2	46,07	30	8	14	37	10	20			
19	51,7	48,61	30	8	14	39	10	20			
20	54,2	51,14	30	8	14	40	10	20			
21	57,2	53,67	35	8	14	45	12	20			
22	59,4	56,21	35	8	14	45	12	20			
23	62,2	58,75	35	8	14	45	12	20			
24	64,7	61,29	35	8	14	45	12	20			
25	67,2	63,83	35	8	14	45	12	20			
26	69,7	66,37	40	10	16	50	12	22			
27	72,3	68,91	40	10	16	50	12	22			
28	74,7	71,45	40	10	16						
29	77,2	73,99	40	10	16						
30	80,2	76,53	40	10	16	50	12	22			
31	82,7	79,08	40	12	16						
32	85,2	81,61	40	12	16	60	12	22			
33	87,7	84,16	40	12	16						
34	90,2	86,70	40	12	16						
35	92,7	89,24	40	12	16	60	12	22			
36	95,2	91,79	40	12	16	60	12	22			
37	97,7	94,33	40	12	16						
38	100,2	96,88	40	12	16	60	12	22			
39	102,7	99,42	40	12	16						
40	105,7	101,97	40	12	16	60	12	22			
45	118,6	114,69	60	12	20						
50	131,5	127,41	60	12	20						
57	149,3	145,22	80	14	20						




Pignoni

3/8" x 7/32"

9,525 x 5,72 mm
06B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm

Raggio dente r_3	10
Larghezza raggio C	1
Largh. dente pign. B_1	5,3
Largh. dente pign. b_1	5,2
Largh. dente pign. B_2	15,4
Largh. dente pign. B_3	25,6




CATENA mm

Passo	9,525
Largh. interna	5,72
Rullo - $\varnothing$	6,35

Materiale C 43

* Materiale Fe

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	26,8	24,89	15	8	20	15	8	25	15	8	32
9	31,5	27,85	18	8	20	18	8	25	18	8	32
10	34,5	30,82	20	8	20	20	8	25	20	10	32
11	37,5	33,80	22	8	25	22	10	30	22	12	35
12	40,5	36,80	25	8	25	25	10	30	25	12	35
13	43,5	39,80	28	8	25	28	10	30	28	12	35
14	46,5	42,80	31	8	25	31	10	30	31	12	35
15	49,5	45,81	34	8	25	34	10	30	34	12	35
16	52,5	48,82	37	10	28	37	12	30	37	12	35
17	55,5	51,83	40	10	28	40	12	30	40	12	35
18	58,6	54,85	43	10	28	43	12	30	43	12	35
19	61,6	57,87	45	10	28	46	12	30	46	12	35
20	64,6	60,89	46	10	28	49	12	30	49	12	35
21	67,6	63,91	48	12	28	52	16	30	52	16	40
22	70,6	66,93	50	12	28	55	16	30	55	16	40
23	73,7	69,95	52	12	28	58	16	30	58	16	40
24	76,7	72,97	54	12	28	61	16	30	61	16	40
25	79,7	76,00	57	12	28	64	16	30	64	16	40
26	82,7	79,02	60	12	28	67	16	30	67	16	40
27	85,7	82,04	60	12	28	70	16	30	70	16	40
28	88,8	85,07	60	12	28	73	16	30	73	16	40
29	91,8	88,09	60	12	28	76	16	30	76	16	40
30	94,8	91,12	60	12	30	79	16	30	79	16	40
31	97,9	94,15	65	14	30	80	16	30	80	16	40
32	100,9	97,17	65	14	30	80	16	30	80	16	40
33	103,9	100,20	65	14	30	80	16	30	80	16	40
34	106,9	103,23	65	14	30	80	16	30	85	16	40
35	110,0	106,26	65	14	30	80	16	30	85	16	40
36	113,0	109,29	70	16	30	90	16	30	90	16	40
37	116,0	112,32	70	16	30	90	16	30	90	16	40
38	119,0	115,34	70	16	30	90	16	30	90	16	40
39	122,1	118,37	70	16	30	90	16	30	90	16	40
40	125,1	121,40	70	16	30	90	16	30	90	16	40
42	132,1	127,46	*78	16	35	*88	20	50	*88	20	60
45	141,1	136,54	*78	16	35	*88	20	50	*88	20	60
46	144,2	139,58	*78	16	35						
48	150,2	145,64	*78	16	35	*88	20	50	*88	20	60
50	156,3	151,69	*78	20	35	*88	20	50	*88	20	60
55	171,4	166,85	*78	20	35						
57	177,5	172,91	*78	20	35	*88	20	50	*88	25	60
60	186,6	181,99	*78	20	35	*88	20	50	*88	25	60
76	235,1	230,49	*78	20	35	*88	25	50	*88	25	60
95	292,7	288,08	*88	25	40	*108	25	50	*120	25	60




Corone

8 x 3 mm

05B - 1 - 2

per catene a rulli
secondo DIN 8187
ISO/R 606





Da Z 46 h=4 mm

CORONA mm

Raggio dente r_3	8
Larghezza raggio C	0,8
Largh. dente corona B_1	2,8
Largh. dente corona b_1	2,7
Largh. dente corona B_2	8,3

CATENA mm

Passo	8
Largh. interna	3
Rullo - $\varnothing$	5



Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	23,4	20,90	6	8	
9	25,9	23,39	6	8	
10	28,4	25,89	8	8	
11	31,0	28,39	8	8	
12	33,7	30,91	8	8	
13	36,7	33,42	8	8	
14	39,2	35,95	8	8	
15	41,7	38,48	8	8	
16	44,2	41,01	8	10	
17	46,7	43,53	8	10	
18	49,2	46,07	8	10	
19	51,7	48,61	8	10	
20	54,2	51,14	8		
21	57,2	53,67	10	10	
22	59,4	56,21	10	10	
23	62,2	58,75	10	10	
24	64,7	61,29	10	10	
25	67,2	63,83	10	10	
26	69,7	66,37	10	12	
27	72,3	68,91	10		
28	74,7	71,45	10	12	
29	77,2	73,99	10		
30	80,2	76,53	10	12	
31	82,7	79,08	10		
32	85,2	81,61	10	12	
33	87,7	84,16	10		
34	90,2	86,70	10	12	
35	92,7	89,24	10	12	
36	95,2	91,79	10	12	
37	97,7	94,33	12		
38	100,2	96,88	12	12	
39	102,7	99,42	12		
40	105,2	101,97	12	12	
41	108,4	104,51			
42	111,0	107,05	12		
43	113,5	109,60			
44	116,1	112,14	12		
45	118,6	114,69	12		
46	121,2	117,23	12	16	
47	123,7	119,77			
48	126,4	122,32	12	16	
49	128,9	124,86			
50	131,5	127,41	12	16	
51	134,0	129,95			
52	136,6	132,49	16	16	
53	139,1	135,04			
54	141,7	137,59	16		
55	144,2	140,13	16		
56	146,8	142,68		16	
57	149,3	145,22	16	16	
58	151,9	147,77	16		
59	154,5	150,31			
60	157,1	152,85	16	16	
62	162,2	157,95	16		
64	167,3	163,04	16		
65	169,8	165,58	16	20	
66	172,4	168,13			
68	177,5	173,22			
70	182,6	178,31	16		
72	187,7	183,41			
75	195,3	191,04	20		
76	197,9	193,59	20	20	
78	203,0	198,68			
80	208,1	203,77	20	20	
85	220,8	216,50	20		
90	233,6	229,23	20		
95	246,3	241,96	20		
100	259,1	254,68			
110	284,6	280,15			
114	294,8	290,33	20	20	
120	310,1	305,61	20		
125	322,8	318,34	20		


Corone

3/8" x 7/32"

9,525 x 5,72 mm

06B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3	10
Larghezza raggio C	1
Largh. dente corona B_1	5,3
Largh. dente corona b_1	5,2
Largh. dente corona B_2	15,4
Largh. dente corona B_3	25,6

CATENA mm

Passo	9,525
Largh. interna	5,72
Rullo - $\varnothing$	6,35




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	28,6	24,89	6		8
9	31,5	27,85	8		8
10	34,5	30,82	8		
11	37,5	33,80	8	10	12
12	40,5	36,80	8	10	12
13	43,5	39,80	8	10	12
14	46,5	42,80	8	10	12
15	49,5	45,81	8	10	12
16	52,5	48,82	10	12	12
17	55,5	51,83	10	12	12
18	58,6	54,85	10	12	12
19	61,6	57,87	10	12	12
20	64,6	60,89	10	12	12
21	67,6	63,91	10	12	16
22	70,6	66,93	10	12	16
23	73,7	69,95	10	12	16
24	76,7	72,97	10	12	16
25	79,7	76,00	10	12	16
26	82,7	79,02	10	16	16
27	85,7	82,04	10	16	16
28	88,8	85,07	10	16	16
29	91,8	88,09	10	16	16
30	94,8	91,12	10	16	16
31	97,9	94,15	12	16	16
32	100,9	97,17	12	16	16
33	103,9	100,20	12	16	
34	106,9	103,23	12	16	16
35	110,0	106,26	12	16	16
36	113,0	109,29	12	16	20
37	116,0	112,32	12	16	
38	119,0	115,34	12	16	20
39	122,1	118,37	12	16	
40	125,1	121,40	12	16	20
41	129,0	124,43	16	20	
42	132,1	127,46	16	20	20
43	135,1	130,49	16	20	
44	138,1	133,52	16	20	20
45	141,1	136,54	16	20	20
46	144,2	139,58	16	20	
47	147,2	142,61	16		
48	150,2	145,64	16	20	20
49	153,3	148,66	16	20	
50	156,3	151,69	20	20	20
51	159,3	154,72	20	20	
52	162,4	157,75	20	20	
53	165,4	160,78	20	20	
54	168,4	163,82	20	20	
55	171,4	166,85	20	20	
56	174,5	169,88	20	20	
57	177,5	172,91	20	20	25
58	180,5	175,93	20	20	25
59	183,6	178,96			
60	186,6	181,99	20	20	25
62	192,7	188,06	20	25	
64	198,7	194,12	20	25	25
65	201,8	197,15	20	25	25
66	204,8	200,18	20		25
68	210,8	206,24	20	25	
70	216,9	212,30	20	25	25
72	223,0	218,37	20	25	25
75	232,1	227,46	20	25	
76	235,1	230,49	20	25	25
78	241,2	236,55		25	25
80	247,2	242,61	20	25	25
85	262,4	257,77	25	25	25
90	277,5	272,93	25	25	25
95	292,7	288,08	25	25	25
100	307,8	303,25	25	25	25
110	338,2	333,55	25	25	
114	350,3	345,68	25	25	25
120	368,5	363,86	25	25	
125	383,6	379,02	25	25	25

Pignoni

1/2" x 1/8"

12,7 x 3,3 mm
081 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606



Da Z 31 h=4 mm

PIGNONE mm


Raggio dente r_3 13
Larghezza raggio C 0,8
Largh. dente pign. B_1 3

CATENA mm

Passo 12,7
Largh. interna 3,3
Rullo - $\varnothing$ 7,75

Materiale C-43

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	39,5	33,18	21	8	14						
9	43,4	37,13	25	8	14						
10	47,4	41,10	28	8	14						
11	51,4	45,07	31	8	16						
12	55,4	49,07	35	8	16						
13	59,4	53,06	39	8	16						
14	63,4	57,07	43	8	16						
15	67,4	61,09	47	8	16						
16	71,4	65,10	50	10	18						
17	75,4	69,11	50	10	18						
18	79,4	73,14	50	10	18						
19	83,5	77,16	50	10	18						
20	87,5	81,19	50	10	18						
21	91,5	85,22	60	12	20						
22	95,5	89,24	60	12	20						
23	99,6	93,27	60	12	20						
24	103,6	97,29	60	12	20						
25	107,6	101,33	60	12	20						
26	111,7	105,36	70	16	20						
27	115,7	109,40	70	16	20						
28	119,7	113,42	70	16	20						
29	123,8	117,46	70	16	20						
30	127,8	121,50	70	16	20						
31	131,8	125,54	70	16	20						
32	135,9	129,56	70	16	20						
33	139,9	133,60									
34	143,9	137,64	70	16	20						
35	148,0	141,68	70	16	20						
36	152,0	145,72	70	16	25						
37	156,1	149,76	70	16	25						
38	160,1	153,80	70	16	25						
39	164,1	157,83	70	16	25						
40	168,2	161,87	70	16	25						




Pignoni

1/2" x 3/16"

12,7 x 4,88 mm
083 - 1/084 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606



PIGNONE mm


Raggio dente r_3 13
Larghezza raggio C 1,3
Largh. dente pign. B_1 4,5

CATENA mm

Passo 12,7
Largh. interna 4,88
Rullo - $\varnothing$ 7,75

Materiale C-43

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	39,5	33,18	21	8	14						
9	43,4	37,13	25	8	14						
10	47,4	41,10	28	8	14						
11	51,4	45,07	31	8	16						
12	55,4	49,07	35	8	16						
13	59,4	53,06	39	8	16						
14	63,4	57,07	43	8	16						
15	67,4	61,09	47	8	16						
16	71,4	65,10	50	10	18						
17	75,4	69,11	50	10	18						
18	79,4	73,14	50	10	18						
19	83,5	77,16	50	10	18						
20	87,5	81,19	50	10	18						
21	91,5	85,22	60	12	20						
22	95,5	89,24	60	12	20						
23	99,6	93,27	60	12	20						
24	103,6	97,29	60	12	20						
25	107,6	101,33	60	12	20						
26	111,7	105,36	70	16	20						
27	115,7	109,40	70	16	20						
28	119,7	113,42	70	16	20						
29	123,8	117,46	70	16	20						
30	127,8	121,50	70	16	20						
31	131,8	125,54	70	16	20						
32	135,9	129,56	70	16	20						
33	139,9	133,60	70	16	20						
34	143,9	137,64	70	16	20						
35	148,0	141,68	70	16	20						
36	152,0	145,72	70	16	25						
37	156,1	149,76	70	16	25						
38	160,1	153,80	70	16	25						
39	164,1	157,83	70	16	25						
40	168,2	161,87	70	16	25						




Corone

1/2" x 1/8"

12,7 x 3,3 mm

081 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606




Da Z 31 h=4 mm
Da Z 90 h=6 mm

CORONA mm

Raggio dente r₃ 13
Larghezza raggio C 0,8
Largh. dente corona B₁ 3

CATENA mm

Passo 12,7
Largh. interna 3,3
Rullo - ø 7,75



Z	de	dp	S	D	T
			D ₁	D ₂	D ₃
8	39,5	33,18			
9	43,4	37,13	8		
10	47,4	41,10	8		
11	51,4	45,07	8		
12	55,4	49,07	8		
13	59,4	53,06	8		
14	63,4	57,07	8		
15	67,4	61,09	8		
16	71,4	65,10	8		
17	75,4	69,11	8		
18	79,4	73,14	8		
19	83,5	77,16	8		
20	87,5	81,19	8		
21	91,5	85,22	8		
22	95,5	89,24	10		
23	99,6	93,27	10		
24	103,6	97,29	12		
25	107,6	101,33	12		
26	111,7	105,36	12		
27	115,7	109,40	12		
28	119,7	113,42	12		
29	123,8	117,46			
30	127,8	121,50	12		
31	131,8	125,54			
32	135,9	129,56	12		
33	139,9	133,60	12		
34	143,9	137,64	12		
35	148,0	141,68	12		
36	152,0	145,72	16		
37	156,1	149,76	16		
38	160,1	153,80	16		
39	164,1	157,83	16		
40	168,2	161,87	16		
41	172,7	165,91			
42	176,7	169,95			
43	180,8	173,99			
44	184,8	178,03	16		
45	188,9	182,07	16		
46	192,9	186,10			
47	196,9	190,14			
48	201,0	194,18	20		
49	205,0	198,22			
50	209,1	202,26			
51	213,1	206,30			
52	217,1	210,34			
53	221,2	214,37			
54	225,2	218,43			
55	229,3	222,46	20		
56	233,3	226,50	20		
57	237,3	230,54	20		
58	241,4	234,58	20		
59	245,4	238,62			
60	249,5	242,66	20		
62	257,5	250,75			
64	265,6	258,82			
65	269,7	262,86			
66	273,7	266,90			
68	281,8	274,99			
70	289,9	283,07	25		
72	298,0	291,16			
75	310,1	303,27			
76	314,1	307,33			
78	322,2	315,40			
80	330,3	323,48			
85	350,5	343,69			
90	370,7	363,90			
95	390,9	384,11			
100	411,1	404,31			
110	451,5	444,74			
114	467,7	460,90			
120	492,0	485,16			
125	512,2	505,37			


Corone

1/2" x 3/16"

12,7 x 4,88 mm

083 - 1/084 - 1

per catene a rulli
secondo DIN 8187
ISO/R 606




Da Z 90 h=6 mm

CORONA mm

Raggio dente r₃ 13
Larghezza raggio C 1,3
Largh. dente corona B₁ 4,5

CATENA mm

Passo 12,7
Largh. interna 4,88
Rullo - ø 7,75




Z	de	dp	S	D	T
			D ₁	D ₂	D ₃
8	39,5	33,18	8		
9	43,4	37,13	8		
10	47,4	41,10	8		
11	51,4	45,07	8		
12	55,4	49,07	8		
13	59,4	53,06	8		
14	63,4	57,07	8		
15	67,4	61,09	8		
16	71,4	65,10	8		
17	75,4	69,11	8		
18	79,4	73,14	8		
19	83,5	77,16	8		
20	87,5	81,19	8		
21	91,5	85,22	8		
22	95,5	89,24	10		
23	99,6	93,27	10		
24	103,6	97,29	12		
25	107,6	101,33	12		
26	111,7	105,36	12		
27	115,7	109,40	12		
28	119,7	113,42	12		
29	123,8	117,46	12		
30	127,8	121,50	12		
31	131,8	125,54	12		
32	135,9	129,56	12		
33	139,9	133,60	12		
34	143,9	137,64	12		
35	148,0	141,68	12		
36	152,0	145,72	16		
37	156,1	149,76	16		
38	160,1	153,80	16		
39	164,1	157,83	16		
40	168,2	161,87	16		
41	172,7	165,91	16		
42	176,7	169,95	16		
43	180,8	173,99	16		
44	184,8	178,03	16		
45	188,9	182,07	16		
46	192,9	186,10	20		
47	196,9	190,14	20		
48	201,0	194,18	20		
49	205,0	198,22	20		
50	209,1	202,26	20		
51	213,1	206,30	20		
52	217,1	210,34	20		
53	221,2	214,37	20		
54	225,2	218,43	20		
55	229,3	222,46	20		
56	233,3	226,50	20		
57	237,3	230,54	20		
58	241,4	234,58	20		
59	245,5	238,62			
60	249,5	242,66	20		
62	257,5	250,75			
64	265,6	258,82	20		
65	269,7	262,86	20		
66	273,7	266,90			
68	281,8	274,99	25		
70	289,9	283,07	25		
72	298,0	291,16	25		
75	310,1	303,27			
76	314,1	307,33	25		
78	322,2	315,40			
80	330,3	323,48	25		
85	350,5	343,69	25		
90	370,7	363,90			
95	390,9	384,11			
100	411,1	404,31	25		
110	451,5	444,74			
114	467,7	460,90			
120	492,0	485,16			
125	512,2	505,37			

Pignoni

1/2" x 5/16"

12,7 x 7,75 mm
08B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm

Raggio dente r ₃	13
Larghezza raggio C	1,3
Largh. dente pign. B ₁	7,2
Largh. dente pign. b ₁	7
Largh. dente pign. B ₂	21
Largh. dente pign. B ₃	34,9




CATENA mm

Passo	12,7
Largh. interna	7,75
Rullo - ø	8,51

Materiale C 43

* Materiale Fe

Z	d _e	d _p	S			D			T		
			d _m	D ₁	A	d _m	D ₂	A	d _m	D ₃	A
8	38,0	33,18	20	10	25	20	10	32	20	10	46
9	42,0	37,13	24	10	25	24	10	32	24	12	46
10	45,9	41,10	26	10	25	28	10	32	28	12	46
11	49,9	45,07	29	10	25	32	12	35	32	16	50
12	53,9	49,07	33	10	28	35	12	35	35	16	50
13	57,9	53,06	37	10	28	38	12	35	38	16	50
14	61,9	57,07	41	10	28	42	12	35	42	16	50
15	65,9	61,09	45	10	28	46	12	35	46	16	50
16	69,9	65,10	50	12	28	50	16	38	50	16	50
17	74,0	69,11	52	12	28	54	16	38	54	16	50
18	78,0	73,14	56	12	28	58	16	38	58	16	50
19	82,0	77,16	60	12	28	62	16	38	62	16	50
20	86,0	81,19	64	12	28	66	16	38	66	16	50
21	90,1	85,22	68	14	28	70	16	40	70	16	55
22	94,1	89,24	70	14	28	70	16	40	70	16	55
23	98,1	93,27	70	14	28	70	16	40	70	16	55
24	102,1	97,29	70	14	28	75	16	40	75	16	55
25	106,2	101,33	70	14	28	80	16	40	80	16	55
26	110,2	105,36	70	16	30	85	16	40	85	20	55
27	114,2	109,40	70	16	30	85	16	40	85	20	55
28	118,3	113,42	70	16	30	90	16	40	90	20	55
29	122,3	117,46	80	16	30	95	16	40	95	20	55
30	126,3	121,50	80	16	30	100	16	40	100	20	55
31	130,4	125,54	90	16	30	100	20	40	110	20	55
32	134,4	129,56	90	16	30	100	20	40	110	20	55
33	138,4	133,60	90	16	30	100	20	40	110	20	55
34	142,5	137,64	90	16	30	100	20	40	110	20	55
35	146,5	141,68	90	16	30	100	20	40	110	20	55
36	150,6	145,72	90	16	35	100	20	40	120	25	55
37	154,6	149,76	90	16	35	100	20	40	120	25	55
38	158,6	153,80	90	16	35	100	20	40	120	25	55
39	162,7	157,83	90	16	35	100	20	40	120	25	55
40	166,7	161,87	90	16	35	100	20	40	120	25	55
42	176,5	169,95	*88	20	42	*108	20	55			
45	188,6	182,07	*88	20	42	*108	20	55	*120	25	68
46	192,6	186,10	*88	20	42	*108	20	55			
48	200,7	194,18	*88	20	42	*108	20	55			
50	208,8	202,26	*88	20	42	*108	20	55	*120	25	68
55	229,0	222,46	*88	20	42						
57	237,1	230,54	*88	20	42	*108	25	55	*120	25	68
60	249,2	242,66	*88	20	42	*108	25	55	*120	25	68
76	313,9	307,33	*88	25	42	*108	25	55	*120	25	68
95	390,7	384,11	*108	25	42	*120	25	55	*136	25	68




Pignoni

5/8" x 3/8"

15,875 x 9,65 mm
10B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm

Raggio dente r ₃	16
Larghezza raggio C	1,6
Largh. dente pign. B ₁	9,1
Largh. dente pign. b ₁	9
Largh. dente pign. B ₂	25,5
Largh. dente pign. B ₃	42,1




CATENA mm

Passo	15,875
Largh. interna	9,65
Rullo - ø	10,16

Materiale C 43

* Materiale Fe

Z	d _e	d _p	S			D			T		
			d _m	D ₁	A	d _m	D ₂	A	d _m	D ₃	A
8	48,4	41,48	25	10	25	25	12	40	25	12	55
9	53,3	46,42	30	10	25	30	12	40	30	12	55
10	58,3	51,37	35	10	25	35	12	40	35	16	55
11	63,2	56,34	37	12	30	39	16	40	39	16	55
12	68,2	61,34	42	12	30	44	16	40	44	16	55
13	73,2	66,32	47	12	30	49	16	40	49	16	55
14	78,2	71,34	52	12	30	54	16	40	54	16	55
15	83,2	76,36	57	12	30	59	16	40	59	16	55
16	88,3	81,37	60	12	30	64	16	45	64	16	60
17	93,3	86,39	60	12	30	69	16	45	69	16	60
18	98,3	91,42	70	14	30	74	16	45	74	16	60
19	103,3	96,45	70	14	30	79	16	45	79	16	60
20	108,4	101,49	75	14	30	84	16	45	84	16	60
21	113,4	106,52	75	16	30	85	16	45	85	20	60
22	118,4	111,55	80	16	30	90	16	45	90	20	60
23	123,5	116,58	80	16	30	95	16	45	95	20	60
24	128,5	121,62	80	16	30	100	16	45	100	20	60
25	133,6	126,66	80	16	30	105	16	45	105	20	60
26	138,6	131,70	85	20	35	110	20	45	110	20	60
27	143,6	136,75	85	20	35	110	20	45	110	20	60
28	148,7	141,78	90	20	35	115	20	45	115	20	60
29	153,7	146,83	90	20	35	115	20	45	115	20	60
30	158,8	151,87	90	20	35	120	20	45	120	20	60
31	163,8	156,92	95	20	35	120	20	45	120	20	60
32	168,9	161,95	95	20	35	120	20	45	120	20	60
33	173,9	167,00	95	20	35	120	20	45	120	20	60
34	178,9	172,05	95	20	35	120	20	45	120	20	60
35	184,0	177,10	95	20	35	120	20	45	120	20	60
36	189,0	182,15	100	20	35	120	20	45	120	25	60
37	194,1	187,20	100	20	35	120	20	45	120	25	60
38	199,1	192,24	100	20	35	120	20	45	120	25	60
39	204,2	197,29	100	20	35	120	20	45	120	25	60
40	209,2	202,34	100	20	35	120	20	45	120	25	60
42	220,8	212,44	*108	20	43	*120	25	59			
45	236,0	227,58	*108	20	43	*120	25	59	*136	25	74
46	241,0	232,63	*108	20	43	*120	25	59			
48	251,1	242,73	*108	20	43	*120	25	59			
50	261,2	252,82	*108	20	43	*120	25	59	*136	25	74
55	286,5	278,08	*108	20	43						
57	296,6	288,18	*108	25	43	*120	25	59	*136	25	74
60	311,7	303,32	*108	25	43	*120	25	59	*136	25	74
76	392,5	384,16	*108	25	43	*120	25	59	*145	30	75
95	488,5	480,14	*118	30	59	*145	30	59	*145	30	75




Corone

1/2" x 5/16"

12,7 x 7,75 mm
08B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 13
Larghezza raggio C 1,3
Largh. dente corona B_1 7,2
Largh. dente corona b_1 7
Largh. dente corona B_2 21
Largh. dente corona B_3 34,9

CATENA mm

Passo 12,7
Largh. interna 7,75
Rullo - $\varnothing$ 8,51




Z	d_e	d_p	S	D	T
			D ₁	D ₂	D ₃
8	38,0	33,18	8		10
9	42,0	37,13	8		10
10	45,9	41,10	8	10	10
11	49,9	45,07	10	10	12
12	53,9	49,07	10	10	12
13	57,9	53,06	10	10	12
14	61,9	57,07	10	10	12
15	65,9	61,09	10	10	12
16	69,9	65,10	10	12	16
17	74,0	69,11	10	12	16
18	78,0	73,14	10	12	16
19	82,0	77,16	10	12	16
20	86,0	81,19	10	12	16
21	90,1	85,22	12	16	16
22	94,1	89,24	12	16	16
23	98,1	93,27	12	16	16
24	102,1	97,29	12	16	16
25	106,2	101,33	12	16	16
26	110,2	105,36	16	16	16
27	114,2	109,40	16	16	16
28	118,3	113,42	16	16	16
29	122,3	117,46	16	16	16
30	126,3	121,50	16	16	16
31	130,4	125,54	16	16	
32	134,4	129,56	16	16	20
33	138,4	133,60	16	16	20
34	142,5	137,64	16	16	20
35	146,5	141,68	16	16	20
36	150,6	145,72	16	20	20
37	154,6	149,76	16	20	
38	158,6	153,80	16	20	20
39	162,7	157,83	16	20	
40	166,7	161,87	16	20	20
41	172,4	165,91	20	20	
42	176,5	169,95	20	20	25
43	180,5	173,99	20	20	25
44	184,6	178,03	20	20	25
45	188,6	182,07	20	20	25
46	192,6	186,10	20	20	25
47	196,7	190,14	20	20	25
48	200,7	194,18	20	20	25
49	204,8	198,22	20	20	25
50	208,8	202,26	20	20	25
51	212,8	206,30	20	25	
52	216,9	210,34	20	25	25
53	220,9	214,37	20	25	25
54	225,0	218,43	20	25	25
55	229,0	222,46	20	25	25
56	233,0	226,50	20	25	25
57	237,1	230,54	20	25	25
58	241,1	234,58	20	25	
59	245,2	238,62			
60	249,2	242,66	20	25	25
62	257,3	250,75	25	25	25
64	265,4	258,82	25	25	
65	269,4	262,86	25	25	25
66	273,4	266,90	25		
68	281,5	274,99	25	25	25
70	289,6	283,07	25	25	25
72	297,7	291,16	25	25	25
75	309,8	303,27	25	25	25
76	313,9	307,33	25	25	25
78	321,9	315,40	25		
80	330,0	323,48	25	25	25
85	350,2	343,69	25	25	25
90	370,4	363,90	25	25	25
95	390,7	384,11	25	25	25
100	410,9	404,31	25	25	25
110	451,3	444,74	25	25	25
114	467,4	460,90	25	25	25
120	491,7	485,16	25	25	
125	511,0	505,37	25	25	25

Corone

5/8" x 3/8"

15,875 x 9,65 mm
10B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






Da Z 114 h=10 mm

CORONA mm

Raggio dente r_3 16
Larghezza raggio C 1,6
Largh. dente corona B_1 9,1
Largh. dente corona b_1 9
Largh. dente corona B_2 25,5
Largh. dente corona B_3 42,1

CATENA mm

Passo 15,875
Largh. interna 9,65
Rullo - $\varnothing$ 10,16



Z	d_e	d_p	S	D	T
			D ₁	D ₂	D ₃
8	48,4	41,48	10	10	12
9	53,3	46,42	10	10	12
10	58,3	51,37	10		
11	63,2	56,34	10	10	
12	68,2	61,34	10	10	12
13	73,2	66,32	10	10	12
14	78,2	71,34	12	10	12
15	83,2	76,36	12	12	12
16	88,3	81,37	12	12	16
17	93,3	86,39	12	12	16
18	98,3	91,42	12	12	16
19	103,3	96,45	12	12	16
20	108,4	101,49	12	12	16
21	113,4	106,52	12	16	16
22	118,4	111,55	12	16	16
23	123,5	116,58	12	16	16
24	128,5	121,62	12	16	16
25	133,6	126,66	12	16	16
26	138,6	131,70	16	20	20
27	143,6	136,75	16	20	20
28	148,7	141,78	16	20	20
29	153,7	146,83	16	20	20
30	158,8	151,87	16	20	20
31	163,8	156,92	16	20	
32	168,9	161,95	16	20	20
33	173,9	167,00	16	20	20
34	178,9	172,05	16	20	20
35	184,0	177,10	16	20	20
36	189,0	182,15	20	20	25
37	194,1	187,20	20	20	25
38	199,1	192,24	20	20	25
39	204,2	197,29	20	20	25
40	209,2	202,34	20	20	25
41	215,8	207,39	20		25
42	220,8	212,44	20	25	25
43	225,9	217,49	20	25	
44	230,9	222,53	20	25	25
45	236,0	227,58	20	25	25
46	241,0	236,63	20	25	25
47	246,1	237,68	20	25	
48	251,1	242,73	20	25	25
49	256,2	247,78	20		
50	261,2	252,82	20	25	25
51	266,3	257,87	20		
52	271,3	262,92	20	25	25
53	276,4	267,97	20	25	
54	281,4	273,03	20	25	
55	286,5	278,08	20	25	25
56	291,5	283,13	25	25	
57	296,6	288,18	25	25	25
58	301,6	293,23	25	25	
59	306,7	298,27			
60	311,7	303,32	25	25	25
62	321,8	313,43	25	25	
64	331,9	323,53	25		30
65	337,0	328,58	25	25	30
66	342,0	333,63		25	
68	352,1	343,74	25		
70	362,2	353,84	25	25	30
72	372,3	363,95	25	25	
75	387,5	379,09	25	25	30
76	392,5	384,16	25	25	30
78	402,6	394,25	25		
80	412,7	404,35	25	25	30
85	438,0	429,62	30	30	
90	463,3	454,88	30	30	30
95	488,5	480,14	30	30	30
100	513,8	505,40	30	30	
110	564,3	555,92	30		
114	584,5	576,13	30	30	30
120	614,8	606,44	30	30	
125	640,1	631,71	30	30	30


Pignoni

3/4" x 7/16"

19,05 x 11,68 mm

12B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm




Raggio dente r ₃	19
Larghezza raggio C	2
Largh. dente pign. B ₁	11,1
Largh. dente pign. b ₁	10,8
Largh. dente pign. B ₂	30,3
Largh. dente pign. B ₃	49,8

CATENA mm

Passo	19,05
Largh. interna	11,68
Rullo - ø	12,07

Materiale C 43
* Materiale Fe

Z	d _e	d _p	S			D			T		
			d _m	D ₁	A	d _m	D ₂	A	d _m	D ₃	A
8	58,0	49,78	31	12	30	31	12	45	31	16	65
9	63,9	55,70	37	12	30	37	12	45	37	16	65
10	69,8	61,64	42	12	30	42	12	45	42	16	65
11	75,8	67,61	46	16	35	47	16	50	47	20	70
12	81,8	73,60	52	16	35	53	16	50	53	20	70
13	87,8	79,59	58	16	35	59	16	50	59	20	70
14	93,8	85,61	64	16	35	65	16	50	65	20	70
15	99,8	91,63	70	16	35	71	16	50	71	20	70
16	105,8	97,65	75	16	35	77	20	50	77	20	70
17	111,9	103,67	80	16	35	83	20	50	83	20	70
18	117,9	109,71	80	16	35	89	20	50	89	20	70
19	123,9	115,75	80	16	35	95	20	50	95	20	70
20	130,0	121,78	80	16	35	100	20	50	100	20	70
21	136,0	127,82	90	20	40	100	20	50	100	20	70
22	142,0	133,86	90	20	40	100	20	50	100	20	70
23	148,1	139,90	90	20	40	110	20	50	110	20	70
24	154,1	145,94	90	20	40	110	20	50	110	20	70
25	160,2	152,00	90	20	40	120	20	50	120	20	70
26	166,2	158,04	95	20	40	120	20	50	120	20	70
27	172,3	164,09	95	20	40	120	20	50	120	20	70
28	178,3	170,13	95	20	40	120	20	50	120	20	70
29	184,4	176,19	95	20	40	120	20	50	120	20	70
30	190,4	182,25	95	20	40	120	20	50	120	20	70
31	196,5	188,31	95	20	40	120	20	50	130	25	70
32	202,5	194,35	95	20	40	120	20	50	130	25	70
33	208,6	200,40	95	20	40	120	20	50	130	25	70
34	214,6	206,46	95	20	40	120	20	50	130	25	70
35	220,7	212,52	95	20	40	120	20	50	130	25	70
36	226,8	218,58	100	20	40	120	25	50	130	25	70
37	232,8	224,64	100	20	40	120	25	50	130	25	70
38	238,9	230,69	100	20	40	120	25	50	130	25	70
39	244,9	236,75	100	20	40	120	25	50	130	25	70
40	251,0	242,81	100	20	40	120	25	50	130	25	70
42	265,0	254,93	*118	25	61	*136	25	62	*140	25	72
45	283,2	273,10	*118	25	61	*136	25	62			
46	289,2	279,16	*118	25	61	*136	25	62	*140	25	72
48	301,4	291,27	*118	25	61	*136	25	62			
50	313,5	303,39	*118	25	61	*136	25	62			
55	343,8	333,70	*118	25	61	*136	25	62	*140	30	75
57	355,9	345,81	*118	25	61						
60	374,1	363,99	*118	25	61	*136	25	62	*140	30	75
76	471,1	460,99	*118	30	61	*145	30	63			
95	586,2	576,17	*133	30	62	*145	30	63	*150	30	75




Pignoni

1" x 17,02 mm

25,4 x 17,02 mm

16B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm




Raggio dente r ₃	26
Larghezza raggio C	2,5
Largh. dente pign. B ₁	16,2
Largh. dente pign. b ₁	15,8
Largh. dente pign. B ₂	47,7
Largh. dente pign. B ₃	79,6

CATENA mm

Passo	25,4
Largh. interna	17,02
Rullo - ø	15,88

Materiale C 43
* Materiale Fe

Z	d _e	d _p	S			D			T		
			d _m	D ₁	A	d _m	D ₂	A	d _m	D ₃	A
8	77,9	66,37	42	16	35	42	20	65	42	20	95
9	85,8	74,27	50	16	35	50	20	65	50	20	95
10	93,8	82,19	55	16	35	56	20	65	56	20	95
11	101,7	90,14	61	16	40	64	20	70	64	25	100
12	109,7	98,14	69	16	40	72	20	70	72	25	100
13	117,7	106,12	78	16	40	80	20	70	80	25	100
14	125,7	114,15	84	16	40	88	20	70	88	25	100
15	133,7	122,17	92	16	40	96	20	70	96	25	100
16	141,8	130,20	100	20	45	104	20	70	104	25	100
17	149,8	138,22	100	20	45	112	20	70	112	25	100
18	157,8	146,28	100	20	45	120	20	70	120	25	100
19	165,9	154,33	100	20	45	128	20	70	128	25	100
20	173,9	162,38	100	20	45	130	20	70	130	25	100
21	182,0	170,43	110	20	50	130	25	70	130	25	100
22	190,1	178,48	110	20	50	130	25	70	130	25	100
23	198,1	186,53	110	20	50	130	25	70	130	25	100
24	206,2	194,59	110	20	50	130	25	70	130	25	100
25	214,2	202,66	110	20	50	130	25	70	130	25	100
26	222,3	210,72	120	20	50	130	25	70	130	30	100
27	230,4	218,79	120	20	50	130	25	70	130	30	100
28	238,4	226,85	120	20	50	130	25	70	130	30	100
29	246,5	234,92	120	20	50	130	25	70	130	30	100
30	254,6	243,00	120	20	50	130	25	70	130	30	100
31	262,6	251,08	120	25	50	140	25	70	140	30	100
32	270,7	259,13	120	25	50	140	25	70	140	30	100
33	278,8	267,21	120	25	50	140	25	70	140	30	100
34	286,9	275,28	120	25	50	140	25	70	140	30	100
35	294,9	283,36	120	25	50	140	25	70	140	30	100
36	303,0	291,44	120	25	50	140	25	70	140	30	100
37	311,1	299,51	120	25	50	140	25	70	140	30	100
38	319,2	307,59	120	25	50	140	25	70	140	30	100
39	327,2	315,67	120	25	50	140	25	70			
40	335,3	323,73	120	25	50	140	25	70	140	30	100
42	353,7	339,90	*133	25	68	*140	25	70			
45	377,9	364,12	*133	25	68	*140	25	70	*160	30	110
46	386,0	372,21	*133	25	68	*140	25	70			
48	402,1	388,36	*133	25	68	*140	25	70	*160	30	110
50	418,3	404,52	*133	25	68	*140	25	70			
57	474,9	461,07	*133	30	68	*160	40	82	*180	40	112
60	499,1	485,32	*133	30	68	*160	40	82			
76	628,4	614,65	*145	30	68	*160	40	82	*180	40	112
95	782,0	768,22	*160	30	78	*180	40	109			




Corone

3/4" x 7/16"

19,05 x 11,68 mm
12B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 19
Larghezza raggio C 2
Largh. dente corona B_1 11,1
Largh. dente corona b_1 10,8
Largh. dente corona B_2 30,3
Largh. dente corona B_3 49,8

CATENA mm

Passo 19,05
Largh. interna 11,68
Rullo - $\varnothing$ 12,07




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	58,0	49,78	10	12	
9	63,9	55,70	10		12
10	69,8	61,64	10		
11	75,8	67,61	12	12	16
12	81,8	73,50	14	14	16
13	87,8	79,59	14	14	16
14	93,8	85,61	14	16	16
15	99,8	91,63	14	16	16
16	105,8	97,65	14	16	20
17	111,9	103,67	14	16	20
18	117,9	109,71	14	16	20
19	123,9	115,75	14	16	20
20	130,0	121,78	14	16	20
21	136,0	127,82	16	20	20
22	142,0	133,86	16	20	20
23	148,1	139,90	16	20	20
24	154,1	145,94	16	20	20
25	160,2	152,00	16	20	20
26	166,2	158,04	16	20	20
27	172,3	164,09	16	20	20
28	178,3	170,13	16	20	20
29	184,4	176,19	16	20	20
30	190,4	182,25	16	20	20
31	196,5	188,31	20	20	25
32	202,5	194,35	20	20	25
33	208,6	200,40	20	20	25
34	214,6	206,46	20	20	25
35	220,7	212,52	20	20	25
36	226,8	218,58	20	25	25
37	232,8	224,64	20	25	25
38	238,9	230,69	20	25	25
39	244,9	236,75	20	25	25
40	251,0	242,81	20	25	25
41	258,9	248,87	25	25	25
42	265,0	254,93	25	25	25
43	271,1	260,98	25	25	25
44	277,1	267,03	25	25	25
45	283,2	273,10	25	25	25
46	289,2	279,16	25	25	25
47	295,3	285,21	25	25	25
48	301,4	291,27	25	25	25
49	307,4	297,33	25		
50	313,5	303,39	25	25	25
51	319,5	309,45	25		
52	325,6	315,50	25	25	25
53	331,6	321,56	25		
54	337,7	327,64	25	25	25
55	343,8	333,70	25	25	25
56	349,8	339,75	25	25	
57	355,9	345,81	25	25	30
58	362,0	351,87	25	25	
59	368,0	357,93			
60	374,1	363,99	25	25	30
62	386,2	376,12	25		
64	398,3	388,24	25	30	
65	404,4	394,29	25	30	30
66	410,1	400,35			
68	422,6	412,49	30		
70	434,7	424,61	30	30	30
72	446,8	436,74	30	30	30
75	465,0	454,91	30	30	
76	471,1	460,99	30	30	30
78	483,2	473,10	30		
80	495,3	485,22	30	30	30
85	525,6	515,55	30	30	30
90	555,9	545,86	30	30	30
95	586,2	576,17	30	30	30
100	616,6	606,47	30	30	30
110	677,2	667,11	30		
114	701,4	691,36	30	30	30
120	737,8	727,74	30		30
125	768,1	758,05	30	30	30

Corone

1" x 17,02 mm

25,4 x 17,02 mm
16B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 26
Larghezza raggio C 2,5
Largh. dente corona B_1 16,2
Largh. dente corona b_1 15,8
Largh. dente corona B_2 47,7
Largh. dente corona B_3 79,6

CATENA mm

Passo 25,4
Largh. interna 17,02
Rullo - $\varnothing$ 15,88




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	77,9	66,37	16	16	16
9	85,8	74,27	16	16	16
10	93,8	82,19	16	16	16
11	101,7	90,14	16	20	20
12	109,7	98,14	16	20	20
13	117,7	106,12	16	20	20
14	125,7	114,15	16	20	20
15	133,7	122,17	16	20	20
16	141,8	130,20	20	20	25
17	149,8	138,22	20	20	25
18	157,8	146,28	20	20	25
19	165,9	154,33	20	20	25
20	173,9	162,38	20	20	25
21	182,0	170,43	20	25	25
22	190,1	178,48	20	25	25
23	198,1	186,53	20	25	25
24	206,2	194,59	20	25	25
25	214,2	202,66	20	25	25
26	222,3	210,72	20	25	30
27	230,4	218,79	20	25	30
28	238,4	226,85	20	25	30
29	246,5	234,92	20	25	30
30	254,6	243,00	20	25	30
31	262,6	251,08	25	25	30
32	270,7	259,13	25	25	30
33	278,8	267,21	25	25	30
34	286,9	275,28	25	25	30
35	294,9	283,36	25	25	30
36	303,0	291,44	25	25	30
37	311,1	299,51	25	25	
38	319,2	307,59	25	25	30
39	327,2	315,67	25	25	
40	335,3	323,73	25	25	30
41	343,6	331,82	25		
42	353,7	339,90	25	25	30
43	361,7	347,98	25		
44	369,8	356,06	25	25	30
45	377,9	364,12	25	25	30
46	386,0	372,21	25	25	30
47	394,1	380,29	25		
48	402,1	388,36	25	25	30
49	410,2	396,44	25		
50	418,3	404,52	25	25	30
51	426,4	412,60	30		
52	434,5	420,67	30	30	40
53	442,5	428,75	30		
54	450,6	436,85	30		
55	458,7	444,93	30	30	40
56	466,8	453,01	30	40	
57	474,9	461,07	30	40	40
58	482,9	469,16	30		
59	491,0	477,24			
60	499,1	485,32	30	40	40
62	515,3	501,50	30	40	
64	531,4	517,65	30		
65	539,5	525,73	30	40	40
66	547,6	533,80			
68	563,8	549,98	30	40	
70	579,9	566,14	30	40	40
72	596,1	582,32	30	40	40
75	620,3	606,55	30	40	
76	628,4	614,65	30	40	40
78	644,6	630,80	30		
80	660,7	646,96	30	40	40
85	701,2	687,40	30	40	40
90	741,6	727,81	30	40	40
95	782,0	768,22	30	40	40
100	822,4	808,63	30	40	
110	903,3	889,48	30		
114	935,6	921,82	30	40	40
120	984,1	970,33	30		
125	1024,5	1010,73	30	40	40

Pignoni

1"1/4 x 3/4

31,75 x 19,56 mm
20B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm




Raggio dente r_3	32
Larghezza raggio C	3,5
Largh. dente pign. B_1	18,5
Largh. dente pign. b_1	18,2
Largh. dente pign. B_2	54,6
Largh. dente pign. B_3	91

CATENA mm

Passo	31,75
Largh. interna	19,56
Rullo - $\emptyset$	19,05

Materiale C 43
* Materiale Fe

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	96,0	82,96	53	20	40	53	20	75	53	25	110
9	106,5	92,84	63	20	40	63	20	75	63	25	110
10	117,0	102,74	70	20	40	70	20	75	70	25	110
11	127,0	112,68	77	20	45	80	25	80	80	30	115
12	137,0	122,68	88	20	45	90	25	80	90	30	115
13	147,5	132,65	98	20	45	100	25	80	100	30	115
14	157,6	142,68	108	20	45	110	25	80	110	30	115
15	167,7	152,72	118	20	45	120	25	80	120	30	115
16	177,7	162,75	120	25	50	120	30	80	120	30	115
17	187,7	172,78	120	25	50	120	30	80	120	30	115
18	197,8	182,85	120	25	50	120	30	80	120	30	115
19	207,9	192,91	120	25	50	120	30	80	120	30	115
20	217,9	202,98	120	25	50	120	30	80	120	30	115
21	228,0	213,04	140	25	55	140	30	80	140	30	115
22	238,1	223,11	140	25	55	140	30	80	140	30	115
23	248,2	233,17	140	25	55	140	30	80	140	30	115
24	258,3	243,23	140	25	55	140	30	80	140	30	115
25	268,4	253,33	140	25	55	140	30	80	140	30	115
26	278,4	263,40	150	30	55	150	30	80	150	30	115
27	288,5	273,48	150	30	55	150	30	80	150	30	115
28	298,5	283,56	150	30	55	150	30	80	150	30	115
29	308,6	293,65	150	30	55	150	30	80	150	30	115
30	318,7	303,75	150	30	55	150	30	80	150	30	115
31	328,8	313,85	*150	30	55	*150	30	80	*150	30	115
32	338,9	323,91	*150	30	55	*150	30	80	*150	30	115
33	349,0	334,01	*150	30	55						
34	359,1	344,10	*150	30	55	*150	30	80	*150	30	115
35	369,2	354,20	*150	30	55	*150	30	80	*150	30	115
36	379,2	364,30	*150	30	55	*150	30	80	*150	30	115
37	389,3	374,39	*150	30	55						
38	399,4	384,49	*150	30	55	*150	30	80	*150	30	115
39	409,5	394,59	*150	30	55						
40	419,6	404,66	*150	30	55	*150	30	80	*150	30	115
45	471,1	455,17	*160	30	80	*160	30	101	*160	40	121
46	481,2	465,26	*160	30	80	*160	30	101			
50	521,6	505,65	*160	30	80	*160	30	101	*160	40	121
57	592,3	576,36	*160	30	80	*180	40	116	*200	40	123
76	784,3	768,32	*160	30	80	*180	40	116	*200	40	123
95	976,2	960,28	*168	30	93	*200	40	116			




Pignoni

1"1/2 x 1"

38,1 x 25,4 mm
24B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm




Raggio dente r_3	38
Larghezza raggio C	4
Largh. dente pign. B_1	24,1
Largh. dente pign. b_1	23,6
Largh. dente pign. B_2	72
Largh. dente pign. B_3	120,3

CATENA mm

Passo	38,1
Largh. interna	25,4
Rullo - $\emptyset$	25,4

Materiale C 43
* Materiale Fe

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	113,0	99,55	58	20	45	58	25	95	58	25	140
9	125,0	111,40	70	20	45	70	25	95	70	25	140
10	137,0	123,29	80	20	45	80	25	95	80	25	140
11	149,0	135,21	90	25	50	90	25	100	90	30	150
12	161,0	147,22	102	25	50	102	25	100	102	30	150
13	173,0	159,18	114	25	50	114	25	100	114	30	150
14	185,0	171,22	128	25	50	128	25	100	128	30	150
15	197,0	183,26	132	25	50	132	25	100	132	30	150
16	209,0	195,30	136	25	55	136	30	100	136	30	150
17	221,0	207,34	136	25	55	136	30	100	136	30	150
18	233,0	219,42	136	25	55	160	30	100	160	30	150
19	245,5	231,49	136	25	55	160	30	100	160	30	150
20	257,5	243,57	136	25	55	160	30	100	160	30	150
21	270,5	255,65	150	30	60	160	30	100	160	40	150
22	282,5	267,73	150	30	60	160	30	100	160	40	150
23	294,5	279,80	150	30	60	160	30	100	160	40	150
24	307,0	291,88	150	30	60	160	30	100	160	40	150
25	319,0	304,00	150	30	60	160	30	100	160	40	150
26	331,0	316,08	*150	30	60	*160	30	100	*160	40	150
27	343,0	328,19	*150	30	60	*160	30	100	*160	40	150
28	355,0	340,27	*150	30	60	*160	30	100	*160	40	150
29	367,5	352,38	*150	30	60	*160	30	100			
30	379,5	364,50	*150	30	60	*160	30	100	*160	40	150
31	391,5	376,62	*150	30	60	*160	40	100			
32	403,5	388,69	*150	30	60	*160	40	100	*160	40	150
33	415,5	400,81	*150	30	60	*160	40	100			
34	428,0	412,83	*150	30	60	*160	40	100			
35	440,0	425,04	*150	30	60	*160	40	100	*160	40	150
36	452,0	437,16	*150	30	60	*160	40	100			
37	464,0	449,27	*150	30	60	*160	40	100			
38	476,5	461,39	*150	30	60	*160	40	100	*160	40	150
39	488,5	473,50									
40	501,5	485,62	*150	30	60	*160	40	100	*160	40	150
45	562,0	546,20	*168	30	99	*180	40	133	*200	40	153
46	574,0	558,82	*168	30	99						
50	622,5	606,78	*168	30	99	*180	40	133	*200	40	153
57	707,5	691,63	*168	30	99	*180	40	133	*200	40	153
76	939,0	921,98	*178	40	118	*200	40	133	*220	40	155
95	1169,0	1152,33	*178	40	118						




Corone

1"1/4 x 3/4

31,75 x 19,56 mm
20B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 32
Larghezza raggio C 3,5
Largh. dente corona B_1 18,5
Largh. dente corona b_1 18,2
Largh. dente corona B_2 54,6
Largh. dente corona B_3 91

CATENA mm

Passo 31,75
Largh. interna 19,56
Rullo - $\varnothing$ 19,05




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	96,0	82,96	16	20	20
9	106,5	92,84	16	20	20
10	117,0	102,74	16	20	20
11	127,0	112,68	20	20	25
12	137,0	122,68	20	20	25
13	147,5	132,65	20	20	25
14	157,6	142,68	20	20	25
15	167,7	152,72	20	20	25
16	177,7	162,75	20	30	30
17	187,7	172,78	20	30	30
18	197,8	182,85	20	30	30
19	207,9	192,91	20	30	30
20	217,9	202,98	20	30	30
21	228,0	213,04	25	30	30
22	238,1	223,11	25	30	30
23	248,2	233,17	25	30	30
24	258,3	243,23	25	30	30
25	268,4	253,33	25	30	30
26	278,4	263,40	30	30	30
27	288,5	273,48	30	30	30
28	298,5	283,56	30	30	30
29	308,6	293,65	30	30	30
30	318,7	303,75	30	30	30
31	328,8	313,85	30	30	30
32	338,9	323,91	30	30	30
33	349,0	334,01	30		
34	359,1	344,10	30	30	30
35	369,2	354,20	30	30	30
36	379,2	364,30	30	30	30
37	389,3	374,39	30		
38	399,4	384,49	30	30	30
39	409,5	394,59	30		
40	419,6	404,66	30	30	30
41	430,7	414,78	30		
42	440,8	424,88	30	30	
43	450,9	434,97	30		
44	461,0	445,07	30		
45	471,1	455,17	30	30	40
46	481,2	465,26	30	30	
47	491,3	475,36			
48	501,4	485,46	30	30	
49	511,5	495,55			
50	521,6	505,65	30	30	40
51	531,7	515,75			
52	541,8	525,84	30	40	
53	551,9	535,94			
54	562,0	546,07	30		
55	572,1	556,16	30		40
56	582,2	566,26	30		
57	592,3	576,36	30	40	40
58	602,4	586,45	30		
59	612,5	596,55			
60	622,6	606,65	30	40	40
62	642,8	626,87			
64	663,0	647,06	30		
65	673,1	657,16	30	40	40
66	683,2	667,26			
68	703,4	687,48			
70	723,6	707,67	30	40	40
72	743,8	727,90			
75	774,2	758,19	30		
76	784,3	768,32	30	40	40
80	824,7	808,72	30	40	
85	875,2	859,25	30		
90	925,7	909,76	30		
95	976,2	960,28	30	40	
100	1026,7	1010,79	40		
114	1168,2	1152,26	40	40	40

Corone

1"1/2 x 1"

38,1 x 25,4 mm
24B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 38
Larghezza raggio C 4
Largh. dente corona B_1 24,1
Largh. dente corona b_1 23,6
Largh. dente corona B_2 72
Largh. dente corona B_3 120,3

CATENA mm

Passo 38,1
Largh. interna 25,4
Rullo - $\varnothing$ 25,4




Z	d_e	d_p	S	D	T
			D_1	D_2	D_3
8	113,0	99,55	20	25	25
9	125,0	111,40	20	25	25
10	137,0	123,29	20	25	25
11	149,0	135,21	25	25	30
12	161,0	147,22	25	25	30
13	173,0	159,18	25	25	30
14	185,0	171,22	25	25	30
15	197,0	183,26	25	25	30
16	209,0	195,30	25	30	30
17	221,0	207,34	25	30	30
18	233,0	219,42	25	30	30
19	245,5	231,49	25	30	30
20	257,5	243,57	25	30	30
21	270,5	255,65	30	30	40
22	282,5	267,73	30	30	40
23	294,5	279,80	30	30	40
24	307,0	291,88	30	30	40
25	319,0	304,00	30	30	40
26	331,0	316,08	30	30	40
27	343,0	328,19	30	30	40
28	355,0	340,27	30	30	40
29	367,5	352,38	30	30	
30	379,5	364,50	30	30	40
31	391,5	376,62	30	40	
32	403,5	388,69	30	40	40
33	415,5	400,81	30	40	
34	428,0	412,93	30	40	
35	440,0	425,04	30	40	40
36	452,0	437,16	30	40	
37	464,0	449,27	30	40	
38	476,5	461,39	30	40	40
39	488,5	473,50			
40	501,5	485,62	30	40	40
41	513,5	497,74	30		
42	525,5	509,85	30	40	
43	538,0	521,97			
44	550,0	534,08			
45	562,0	546,20	30	40	40
46	574,0	558,32	30		
47	586,5	570,43			
48	598,5	582,55	30	40	40
49	610,5	594,66			
50	622,5	606,78	30	40	40
51	635,0	618,89			
52	647,0	631,01	30		
53	659,0	643,13			
54	671,0	655,25	30		
55	683,5	667,40	30		
56	695,5	679,50	30		
57	707,5	691,63	30	40	40
58	719,5	703,74			
59	731,5	715,86			
60	745,0	727,97	30	40	40
62	769,0	752,24	40		
64	793,5	776,48			
65	805,5	788,59	40	40	
66	817,5	800,71			
68	842,0	824,98			
70	866,0	849,21	40		
72	890,5	873,48			
75	926,5	909,83			
76	939,0	921,98	40	40	40
80	987,5	970,44	40		
85	1048,0	1031,10	40		
95	1169,0	1152,33	40	40	

Pignoni

1"3/4 x 1"1/4

44,45 x 30,99 mm
28B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm




Raggio dente r_3	44
Larghezza raggio C	5
Largh. dente pign. B_1	29,4
Largh. dente pign. b_1	28,8
Largh. dente pign. B_2	88,4
Largh. dente pign. B_3	148

CATENA mm

Passo	44,45
Largh. interna	30,99
Rullo - $\varnothing$	27,94

Materiale C 43
* Materiale Fe

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	132,0	116,15	74	25	70	74	30	120	74	30	180
9	146,0	129,96	88	25	70	88	30	120	88	30	180
10	160,0	143,85	100	25	70	100	30	120	100	30	180
11	174,0	157,77	112	25	70	112	30	120	112	30	180
12	188,0	171,74	125	25	70	125	30	120	125	30	180
13	204,0	185,75	125	25	70	125	30	120	125	30	180
14	218,0	199,76	125	25	70	125	30	120	125	30	180
15	232,0	213,79	125	25	70	145	30	120	145	30	180
16	246,0	227,84	160	30	75	160	30	120	160	30	180
17	260,0	241,90	160	30	75	160	30	120	160	30	180
18	274,0	255,98	160	30	75	160	30	120	160	30	180
19	289,0	270,06	160	30	75	180	30	120	180	30	180
20	303,0	284,15	160	30	75	180	30	120	180	30	180
21	317,0	298,24	160	30	75	180	30	120	*180	40	180
22	331,0	312,34	*160	30	75	*180	30	120	*180	40	180
23	345,0	326,44	*160	30	75	*180	30	120	*180	40	180
24	359,0	340,55	*160	30	75	*180	30	120	*180	40	180
25	373,0	354,66	*160	30	75	*180	30	120	*180	40	180
26	387,0	368,77	*160	30	75	*180	40	120			
27	401,0	382,88	*160	30	75						
28	416,0	397,00	*160	30	75	*180	40	120			
29	430,0	411,12									
30	444,0	425,24	*160	30	75	*180	40	120	*180	40	180
31	458,0	439,37									
32	472,0	453,49	*180	30	75						
33	486,0	467,62									
34	500,0	481,75	*180	30	75						
35	514,0	495,88	*180	30	75	*200	40	120			
36	529,0	510,01	*180	30	75						
37	543,0	524,13									
38	557,0	538,27	*180	30	75	*200	40	120	*200	40	180
39	571,0	552,40									
40	585,0	566,54	*180	30	75	*200	40	120	*200	40	180
45	656,0	637,22	*180	30	75	*200	40	150	*200	40	209
50	726,0	707,91	*180	30	75	*200	40	150			
57	825,0	806,90	*180	40	90	*200	40	150	*200	40	209
76	1095,0	1075,62	*180	40	90	*200	40	150	*238	40	217




Pignoni

2" x 1"1/4

50,8 x 30,99 mm
32B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606



* Tipi costruiti con mozzo saldato

PIGNONE mm




Raggio dente r_3	51
Larghezza raggio C	6
Largh. dente pign. B_1	29,4
Largh. dente pign. b_1	28,8
Largh. dente pign. B_2	87,4
Largh. dente pign. B_3	146

CATENA mm

Passo	50,8
Largh. interna	30,99
Rullo - $\varnothing$	29,21

Materiale C 43
* Materiale Fe

Z	d_e	d_p	S			D			T		
			d_m	D_1	A	d_m	D_2	A	d_m	D_3	A
8	152,0	132,74	85	30	80	85	30	120	85	30	180
9	168,0	148,54	100	30	80	100	30	120	100	30	180
10	184,0	164,39	115	30	80	115	30	120	115	30	180
11	200,0	181,31	125	30	80	125	35	120	125	35	180
12	216,0	196,29	133	30	80	133	35	120	*133	35	180
13	235,0	212,29	145	30	80	145	35	120	*145	35	180
14	251,0	228,29	145	30	80	145	35	120	*145	35	180
15	267,0	244,30	145	30	80	160	35	120	*160	35	180
16	283,0	260,40	160	30	90	160	40	120	*160	40	180
17	299,0	276,46	160	30	90	180	40	120	*200	40	180
18	315,0	292,55	160	30	90	180	40	120	*200	40	180
19	331,0	308,66	160	30	90	200	40	120	*200	40	180
20	347,0	324,71	180	40	90	200	40	120	*200	40	180
21	363,0	340,82	180	40	90	200	40	120	*200	40	180
22	379,0	356,98	*180	40	90	*200	40	120			
23	396,0	373,08	*180	40	90	*200	40	120	*200	40	180
24	412,0	389,18	*180	40	90	*200	40	120			
25	428,0	405,33	*180	40	90	*200	40	120	*200	40	180
26	444,0	421,44	*180	40	90	*200	40	120			
27	460,0	437,59									
28	476,0	453,69	*180	40	90	*200	40	120			
29	492,0	469,85									
30	508,0	486,00	*180	40	90	*200	40	120	*200	40	180
31	525,0	502,13									
32	541,0	518,27	*200	40	90						
33	557,0	534,42									
34	573,0	550,56									
35	589,0	566,71	*200	40	90	*200	40	120	*200	40	180
36	605,0	582,86									
37	622,0	599,01									
38	638,0	615,16	*200	40	90	*200	40	120	*200	40	180
39	654,0	631,31									
40	670,0	647,47	*200	40	90	*200	40	120			
45	751,0	728,24	*218	40	123	*220	40	148	*220	40	207
50	832,0	809,04	*218	40	123	*220	40	148	*220	40	207
57	945,0	922,16	*218	40	123	*220	40	148	*220	40	207
76	1252,0	1229,27	*218	40	123	*220	40	148	*238	40	216




Corone

1"3/4 x 1"1/4

44,45 x 30,99 mm
28B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 44
Larghezza raggio C 5
Largh. dente corona B_1 29,4
Largh. dente corona b_1 28,8
Largh. dente corona B_2 88,4
Largh. dente corona B_3 148

CATENA mm

Passo 44,45
Largh. interna 30,99
Rullo - $\varnothing$ 27,94




Z	de	dp	S	D	T
			D1	D2	D3
8	132,0	116,15	20	25	25
9	146,0	129,96	20	25	25
10	160,0	143,85	20	25	25
11	174,0	157,77	25	30	30
12	188,0	171,74	25	30	30
13	204,0	185,75	25	30	30
14	218,0	199,76	25	30	30
15	232,0	213,79	25	30	30
16	246,0	227,84	30	30	30
17	260,0	241,90	30	30	30
18	274,0	255,98	30	30	30
19	289,0	270,06	30	30	30
20	303,0	284,15	30	30	30
21	317,0	298,24	30	30	40
22	331,0	312,34	30	30	
23	345,0	326,44	30	30	40
24	359,0	340,55	30		
25	373,0	354,66	30	30	40
26	387,0	368,77	30	40	
27	401,0	382,88	30		
28	416,0	397,00	30	40	
29	430,0	411,12			
30	444,0	425,24	30	40	40
31	458,0	439,37			
32	472,0	453,49	30		
33	486,0	467,62			
34	500,0	481,75	30		
35	514,0	495,88	30	40	
36	529,0	510,01	30		
37	543,0	524,13			
38	557,0	538,27	30	40	40
39	571,0	552,40			
40	585,0	566,54	30	40	40
45	656,0	637,22	30	40	40
50	726,0	707,91	30	40	
57	825,0	806,90	40	40	40
60	869,0	849,32	40		
76	1095,0	1075,62	40	40	40

Corone

2" x 1"1/4

50,8 x 30,99 mm
32B - 1 - 2 - 3

per catene a rulli
secondo DIN 8187
ISO/R 606






CORONA mm

Raggio dente r_3 51
Larghezza raggio C 6
Largh. dente corona B_1 29,4
Largh. dente corona b_1 28,8
Largh. dente corona B_2 87,4
Largh. dente corona B_3 146

CATENA mm

Passo 50,8
Largh. interna 30,99
Rullo - $\varnothing$ 29,21



Z	de	dp	S	D	T
			D1	D2	D3
8	152,0	132,74	25	25	25
9	168,0	148,54	25	25	25
10	184,0	164,39	25	25	25
11	200,0	180,31	30	35	35
12	216,0	196,29	30	35	35
13	235,0	212,29	30	35	35
14	251,0	228,29	30	35	35
15	267,0	244,30	30	35	35
16	283,0	260,40	30	40	40
17	299,0	276,46	30	40	40
18	315,0	292,55	30	40	40
19	331,0	308,66	30	40	40
20	347,0	324,71	40	40	40
21	363,0	340,82	40	40	40
22	379,0	356,98	40	40	
23	396,0	373,08	40	40	40
24	412,0	389,18	40	40	
25	428,0	405,33	40	40	40
26	444,0	421,44	40	40	
27	460,0	437,59			
28	476,0	453,69	40	40	
29	492,0	469,85			
30	508,0	486,00	40	40	40
32	541,0	518,27	40		
35	589,0	566,71	40	40	40
38	638,0	615,16	40	40	40
40	670,0	647,47	40	40	
45	751,0	728,24	40	40	40
50	832,0	809,04	40	40	40
57	945,0	922,16	40	40	40
60	993,0	970,65	40		
76	1252,0	1229,27	40	40	40