


PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT®



TIMING BELTS PULLEYS



XL 037 PASSO 1/5" (5,08 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	10 XL 037	2F	10	16,17	15,66	23	10	14,3	20	-	201	0,01
	11 XL 037	2F	11	17,79	17,28	23	10	14,3	20	-	201	0,01
	12 XL 037	2F	12	19,40	18,90	25	10	14,3	20	-	203	0,01
	13 XL 037	2F	13	21,02	20,51	25	10	14,3	20	-	203	0,01
	14 XL 037	2F	14	22,64	23,13	28	16	14,3	20	-	204	0,02
	15 XL 037	2F	15	24,25	23,75	28	16	14,3	20	-	204	0,02
	16 XL 037	2F	16	25,87	25,36	32	16	14,3	20	-	205	0,03
	17 XL 037	2F	17	27,49	26,98	32	20	14,3	20	-	205	0,03
	18 XL 037	2F	18	29,11	28,60	36	20	14,3	20	-	206	0,04
	19 XL 037	2F	19	30,72	30,21	36	20	14,3	22	-	206	0,04
	20 XL 037	2F	20	32,34	31,83	38	25	14,3	22	-	207	0,05
	21 XL 037	2F	21	33,96	33,45	38	25	14,3	22	-	207	0,05
	22 XL 037	2F	22	35,57	35,07	42	25	14,3	22	-	208	0,06
	24 XL 037	2F	24	38,81	38,30	44	30	14,3	22	-	209	0,06
	26 XL 037	2F	26	42,04	41,53	48	30	14,3	22	8	210	0,09
	27 XL 037	2F	27	43,66	43,15	48	34	14,3	22	8	210	0,09
	28 XL 037	2F	28	45,28	44,77	51	34	14,3	22	8	211	0,10
	30 XL 037	2F	30	48,51	48,00	54	38	14,3	22	8	212	0,12
	32 XL 037	2F	32	51,74	51,24	57	38	14,3	25	8	213	0,12
	34 XL 037	2F	34	54,98	54,47	60	38	14,3	25	8	214	0,13
	35 XL 037	2F	35	56,60	56,09	63	38	14,3	25	8	215	0,14
	36 XL 037	2	36	58,21	57,70	-	45	14,3	25	8	-	0,14
	38 XL 037	2	38	61,45	60,94	-	45	14,3	25	8	-	0,15
	40 XL 037	2	40	64,68	64,17	-	45	14,3	25	8	-	0,16
	42 XL 037	2	42	67,91	67,41	-	45	14,3	25	8	-	0,18
	44 XL 037	2	44	71,15	70,64	-	45	14,3	25	8	-	0,19
	48 XL 037	2	48	77,62	77,11	-	45	14,3	25	10	-	0,19
	52 XL 037	2	52	84,08	83,57	-	45	14,3	25	10	-	0,19
	60 XL 037	2	60	97,02	96,51	-	45	14,3	25	10	-	0,22
	72 XL 037	2	72	116,42	115,92	-	45	14,3	25	10	-	0,44

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT® TIMING BELTS PULLEYS





L 050 PASSO 3/8" (9,525 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	10 L 050	2F	10	30,32	29,56	36	20	19,0	28	8	300	0,11
	11 L 050	2F	11	33,35	32,59	38	24	19,0	30	8	301	0,14
	12 L 050	2F	12	36,38	35,62	42	24	19,0	30	8	302	0,17
	13 L 050	2F	13	39,41	38,65	44	28	19,0	30	8	303	0,21
	14 L 050	2F	14	42,44	41,68	48	28	19,0	30	8	304	0,24
	15 L 050	2F	15	45,48	44,72	51	34	19,0	30	8	305	0,29
	16 L 050	2F	16	48,51	47,75	54	36	19,0	32	8	306	0,33
	17 L 050	2F	17	51,54	50,78	57	36	19,0	32	10	307	0,38
	18 L 050	2F	18	54,57	53,81	60	40	19,0	32	10	308	0,44
	19 L 050	2F	19	57,61	56,84	63	40	19,0	32	10	309	0,47
	20 L 050	2F	20	60,64	59,88	66	40	19,0	32	10	310	0,51
	21 L 050	2F	21	63,67	62,91	71	45	19,0	32	10	311	0,60
	22 L 050	2F	22	66,70	65,94	75	45	19,0	32	10	312	0,64
	23 L 050	2F	23	69,73	68,97	79	55	19,0	32	10	313	0,78
	24 L 050	2F	24	72,77	72,00	79	55	19,0	32	10	313	0,81
	25 L 050	2F	25	75,80	75,04	83	58	19,0	32	10	314	0,89
	26 L 050	2F	26	78,83	78,07	87	58	19,0	32	12	315	0,94
	27 L 050	2F	27	81,86	81,10	87	58	19,0	32	12	315	0,99
	28 L 050	2F	28	84,89	84,13	91	58	19,0	32	12	316	1,04
	30 L 050	2F	30	90,96	90,20	97	70	19,0	32	12	318	1,17
	32 L 050	2F	32	97,03	96,26	103	70	19,0	32	12	320	1,41
	33 L 050	2F	33	100,05	99,29	106	70	19,0	32	12	321	1,49
	34 L 050	2F	34	103,08	102,32	111	70	19,0	32	12	322	1,57
	35 L 050	2F	35	106,12	105,35	111	70	19,0	32	12	322	1,62
	36 L 050	2F	36	109,15	108,39	115	70	19,0	32	12	323	1,70
	40 L 050	2F	40	121,29	120,51	127	70	19,0	32	12	327	2,03
	42 L 050	2F	42	127,34	126,58	135	70	19,0	32	12	328	2,21
	44 L 050	2F	44	133,40	132,64	140	70	19,0	32	12	330	2,38
	45 L 050	2F	45	136,44	135,67	143	70	19,0	32	12	331	2,48
	48 L 050	2F	48	145,53	144,77	152	70	19,0	32	12	334	2,78
GHISA	50 L 050	4	50	151,60	150,83	-	70	19,0	32	14	-	1,74
	52 L 050	4	52	157,66	156,90	-	70	19,0	32	14	-	1,80
	56 L 050	4	56	169,79	169,02	-	70	19,0	32	14	-	1,87
	57 L 050	4	57	172,82	172,06	-	70	19,0	32	14	-	1,88
	60 L 050	4	60	181,91	181,15	-	75	19,0	42	14	-	2,41
	72 L 050	4	72	218,29	217,53	-	75	19,0	42	14	-	2,82
	84 L 050	4	84	254,68	253,92	-	75	19,0	42	14	-	3,08
	96 L 050	4	96	291,06	290,30	-	75	19,0	42	14	-	3,42

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT®



TIMING BELTS PULLEYS



L 075 PASSO 3/8" (9,525 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	10 L 075	2F	10	30,32	29,56	36	20	25,4	38	8	300	0,14
	11 L 075	2F	11	33,35	32,59	38	24	25,4	38	8	301	0,18
	12 L 075	2F	12	36,38	35,62	42	24	25,4	38	8	302	0,22
	13 L 075	2F	13	39,41	38,65	44	28	25,4	38	8	303	0,26
	14 L 075	2F	14	42,44	41,68	48	28	25,4	38	8	304	0,30
	15 L 075	2F	15	45,48	44,72	51	34	25,4	38	8	305	0,37
	16 L 075	2F	16	48,51	47,75	54	36	25,4	38	8	306	0,43
	17 L 075	2F	17	51,54	50,78	57	36	25,4	38	10	307	0,46
	18 L 075	2F	18	54,57	53,81	60	40	25,4	38	10	308	0,54
	19 L 075	2F	19	57,61	56,84	63	40	25,4	38	10	309	0,58
	20 L 075	2F	20	60,64	59,88	66	40	25,4	38	10	310	0,64
	21 L 075	2F	21	63,67	62,91	71	45	25,4	38	10	311	0,71
	22 L 075	2F	22	66,70	65,94	75	45	25,4	38	10	312	0,79
	23 L 075	2F	23	69,73	68,97	79	55	25,4	38	10	313	0,94
	24 L 075	2F	24	72,77	72,00	79	55	25,4	38	10	313	1,00
	25 L 075	2F	25	75,80	75,04	83	58	25,4	38	10	314	1,10
	26 L 075	2F	26	78,83	78,07	87	58	25,4	38	12	315	1,16
	27 L 075	2F	27	81,86	81,10	87	58	25,4	38	12	315	1,22
	28 L 075	2F	28	84,89	84,13	91	58	25,4	38	12	316	1,30
	30 L 075	2F	30	90,96	90,20	97	70	25,4	38	12	318	1,47
	32 L 075	2F	32	97,03	96,26	103	70	25,4	38	12	320	1,75
	33 L 075	2F	33	100,05	99,29	106	70	25,4	38	12	321	1,85
	34 L 075	2F	34	103,08	102,32	111	70	25,4	38	12	322	1,93
	35 L 075	2F	35	106,12	105,35	111	70	25,4	38	12	322	2,03
	36 L 075	2F	36	109,15	108,39	115	70	25,4	38	12	323	2,14
	40 L 075	2F	40	121,29	120,51	127	70	25,4	38	12	327	2,56
	42 L 075	2F	42	127,34	126,58	135	70	25,4	38	12	328	2,81
	44 L 075	2F	44	133,40	132,64	140	70	25,4	38	12	330	3,02
	45 L 075	2F	45	136,44	135,67	143	70	25,4	38	12	331	3,16
	48 L 075	2F	48	145,53	144,77	152	70	25,4	38	12	334	3,57
GHISA	50 L 075	4	50	151,60	150,83	-	70	25,4	38	14	-	2,10
	52 L 075	4	52	157,66	156,90	-	70	25,4	38	14	-	2,13
	56 L 075	4	56	169,79	169,02	-	70	25,4	38	14	-	2,27
	57 L 075	4	57	172,82	172,06	-	70	25,4	38	14	-	2,28
	60 L 075	4	60	181,91	181,15	-	75	25,4	45	14	-	2,70
	72 L 075	4	72	218,29	217,53	-	75	25,4	45	14	-	3,19
	84 L 075	4	84	254,68	253,92	-	75	25,4	45	14	-	3,64
	96 L 075	4	96	291,06	290,30	-	75	25,4	45	14	-	4,04




PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT® TIMING BELTS PULLEYS



L 100 PASSO 3/8" (9,525 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	10 L 100	2F	10	30,32	29,56	36	20	31,8	45	8	300	0,17
	11 L 100	2F	11	33,35	32,59	38	24	31,8	45	8	301	0,22
	12 L 100	2F	12	36,38	35,62	42	24	31,8	45	8	302	0,26
	13 L 100	2F	13	39,41	38,65	44	28	31,8	45	8	303	0,32
	14 L 100	2F	14	42,44	41,68	48	28	31,8	45	10	304	0,35
	15 L 100	2F	15	45,48	44,72	51	34	31,8	45	10	305	0,43
	16 L 100	2F	16	48,51	47,75	54	36	31,8	45	10	306	0,50
	17 L 100	2F	17	51,54	50,78	57	36	31,8	45	10	307	0,56
	18 L 100	2F	18	54,57	53,81	60	40	31,8	45	10	308	0,64
	19 L 100	2F	19	57,61	56,84	63	40	31,8	45	10	309	0,70
	20 L 100	2F	20	60,64	59,88	66	40	31,8	45	10	310	0,77
	21 L 100	2F	21	63,67	62,91	71	45	31,8	45	10	311	0,88
	22 L 100	2F	22	66,70	65,94	75	45	31,8	45	12	312	0,95
	23 L 100	2F	23	69,73	68,97	79	55	31,8	45	12	313	1,11
	24 L 100	2F	24	72,77	72,00	79	55	31,8	45	12	313	1,18
	25 L 100	2F	25	75,80	75,04	83	58	31,8	45	12	314	1,30
	26 L 100	2F	26	78,83	78,07	87	58	31,8	45	12	315	1,40
	27 L 100	2F	27	81,86	81,10	87	58	31,8	45	12	315	1,47
	28 L 100	2F	28	84,89	84,13	91	58	31,8	45	12	316	1,58
	30 L 100	2F	30	90,96	90,20	97	70	31,8	45	12	318	1,78
	32 L 100	2F	32	97,03	96,26	103	70	31,8	45	12	320	2,11
	33 L 100	2F	33	100,05	99,29	106	70	31,8	45	12	321	2,23
	34 L 100	2F	34	103,08	102,32	111	70	31,8	45	12	322	2,39
	35 L 100	2F	35	106,12	105,35	111	70	31,8	45	12	322	2,45
	36 L 100	2F	36	109,15	108,39	115	70	31,8	45	12	323	2,59
	40 L 100	2F	40	121,29	120,51	127	70	31,8	45	12	327	3,13
	42 L 100	2F	42	127,34	126,58	135	70	31,8	45	12	328	3,43
	44 L 100	2F	44	133,40	132,64	140	70	31,8	45	12	330	3,72
	45 L 100	2F	45	136,44	135,67	143	70	31,8	45	12	331	3,89
	48 L 100	2F	48	145,53	144,77	152	70	31,8	45	12	334	4,38
GHISA	50 L 100	4	50	151,60	150,83	-	70	31,8	45	14	-	2,41
	52 L 100	4	52	157,66	156,90	-	70	31,8	45	14	-	2,55
	56 L 100	4	56	169,79	169,02	-	70	31,8	45	14	-	2,65
	57 L 100	4	57	172,82	172,06	-	70	31,8	45	14	-	2,71
	60 L 100	4	60	181,91	181,15	-	75	31,8	45	14	-	3,11
	72 L 100	4	72	218,29	217,53	-	75	31,8	45	14	-	3,65
	84 L 100	4	84	254,68	253,92	-	75	31,8	45	14	-	4,12
	96 L 100	4	96	291,06	290,30	-	75	31,8	45	14	-	4,60

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT® TIMING BELTS PULLEYS




H 075 PASSO 1/2" (12,7 mm)


MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	14 H 075	2F	14	56,59	55,22	63	40	26,4	40	10	309	0,58
	15 H 075	2F	15	60,64	59,27	66	45	26,4	40	10	310	0,69
	16 H 075	2F	16	64,68	63,31	71	45	26,4	40	10	311	0,77
	17 H 075	2F	17	68,72	67,35	75	45	26,4	40	12	312	0,84
	18 H 075	2F	18	72,77	71,39	79	55	26,4	40	12	313	1,01
	19 H 075	2F	19	76,81	75,44	83	60	26,4	40	12	314	1,15
	20 H 075	2F	20	80,85	79,48	87	62	26,4	40	12	315	1,27
	21 H 075	2F	21	84,89	83,52	91	65	26,4	40	12	316	1,41
	22 H 075	2F	22	88,94	87,56	93	68	26,4	40	12	317	1,55
	23 H 075	2F	23	92,98	91,61	97	72	26,4	40	12	318	1,71
	24 H 075	2F	24	97,03	95,65	103	72	26,4	40	12	320	1,83
	25 H 075	2F	25	101,06	99,69	106	72	26,4	40	12	321	1,96
	26 H 075	2F	26	105,11	103,73	111	80	26,4	40	12	322	2,19
	27 H 075	2F	27	109,15	107,78	115	80	26,4	40	12	323	2,32
	28 H 075	2F	28	113,19	111,82	119	80	26,4	40	12	325	2,47
	30 H 075	2F	30	121,29	119,90	127	80	26,4	40	14	327	2,76
	32 H 075	2F	32	129,36	127,99	135	80	26,4	40	14	328	3,08
	33 H 075	2F	33	133,40	132,03	140	80	26,4	40	14	330	3,25
	34 H 075	2F	34	137,45	136,07	143	80	26,4	40	14	331	3,42
	35 H 075	2F	35	141,49	140,12	148	80	26,4	40	14	333	3,61
GHISA	36 H 075	2F	36	145,53	144,16	152	80	26,4	40	14	334	3,79
	38 H 075	2F	38	153,62	152,24	158	80	26,4	40	14	335	4,16
	40 H 075	2F	40	161,70	160,33	168	80	26,4	40	14	338	4,58
	44 H 075	4F	44	177,87	176,50	184	80	26,4	40	18	339	2,57
	48 H 075	4F	48	194,04	192,67	200	90	26,4	45	18	342	3,56
	50 H 075	4	50	202,13	200,75	-	90	26,4	45	18	-	3,74

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT®


TIMING BELTS PULLEYS



2F



4






4F

H 100 PASSO 1/2" (12,7 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	14 H 100	2F	14	56,59	55,22	63	40	31,8	45	12	309	0,65
	15 H 100	2F	15	60,64	59,27	66	45	31,8	45	12	310	0,77
	16 H 100	2F	16	64,68	63,31	71	45	31,8	45	12	311	0,87
	17 H 100	2F	17	68,72	67,35	75	45	31,8	45	12	312	0,97
	18 H 100	2F	18	72,77	71,39	79	55	31,8	45	12	313	1,16
	19 H 100	2F	19	76,81	75,44	83	60	31,8	45	14	314	1,30
	20 H 100	2F	20	80,85	79,48	87	62	31,8	45	14	315	1,44
	21 H 100	2F	21	84,89	83,52	91	65	31,8	45	14	316	1,60
	22 H 100	2F	22	88,94	87,56	93	68	31,8	45	14	317	1,76
	23 H 100	2F	23	92,98	91,61	97	72	31,8	45	14	318	1,94
	24 H 100	2F	24	97,03	95,65	103	72	31,8	45	14	320	2,09
	25 H 100	2F	25	101,06	99,69	106	72	31,8	45	14	321	2,24
	26 H 100	2F	26	105,11	103,73	111	80	31,8	45	14	322	2,49
	27 H 100	2F	27	109,15	107,78	115	80	31,8	45	14	323	2,66
	28 H 100	2F	28	113,19	111,82	119	80	31,8	45	14	325	2,83
	29 H 100	2F	29	117,23	115,86	123	80	31,8	45	14	326	3,01
	30 H 100	2F	30	121,29	119,90	127	80	31,8	45	14	327	3,19
	32 H 100	2F	32	129,36	127,99	135	80	31,8	45	14	328	3,57
	33 H 100	2F	33	133,40	132,03	140	80	31,8	45	14	330	3,79
	34 H 100	2F	34	137,45	136,07	143	80	31,8	45	14	331	3,99
GHISA	35 H 100	2F	35	141,49	140,12	148	80	31,8	45	14	333	4,20
	36 H 100	2F	36	145,53	144,16	152	80	31,8	45	14	334	4,44
	38 H 100	2F	38	153,62	152,24	158	80	31,8	45	14	335	4,90
	40 H 100	2F	40	161,70	160,33	168	80	31,8	45	14	338	5,39
	44 H 100	4F	44	177,87	176,50	184	80	31,8	50	18	339	3,37
	45 H 100	4F	45	181,91	180,54	192	80	31,8	50	18	340	3,57
	48 H 100	4F	48	194,04	192,67	200	90	31,8	50	18	342	4,10
	50 H 100	4	50	202,13	200,75	-	90	31,8	50	18	-	4,24
	52 H 100	4	52	210,21	208,84	-	90	31,8	50	18	-	4,32
	58 H 100	4	58	234,47	233,09	-	90	31,8	50	18	-	4,61
	60 H 100	4	60	242,55	241,18	-	100	31,8	50	18	-	5,30
	70 H 100	4	70	282,98	281,61	-	100	31,8	55	18	-	6,13
	72 H 100	4	72	291,06	289,69	-	120	31,8	55	18	-	7,47
	84 H 100	4	84	339,57	338,20	-	120	31,8	55	18	-	8,52
	96 H 100	4	96	388,08	386,71	-	120	31,8	60	18	-	10,25
	120 H 100	4	120	485,10	483,73	-	120	31,8	60	18	-	13,09

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT® TIMING BELTS PULLEYS




H 150 PASSO 1/2" (12,7 mm)


MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	14 H 150	2F	14	56,59	55,22	63	40	46,0	58	18	309	0,81
	15 H 150	2F	15	60,64	59,27	66	45	46,0	58	18	310	0,97
	16 H 150	2F	16	64,68	63,31	71	45	46,0	58	18	311	1,11
	17 H 150	2F	17	68,72	67,35	75	45	46,0	58	18	312	1,25
	18 H 150	2F	18	72,77	71,39	79	55	46,0	58	18	313	1,48
	19 H 150	2F	19	76,81	75,44	83	60	46,0	58	18	314	1,68
	20 H 150	2F	20	80,85	79,48	87	62	46,0	58	18	315	1,88
	21 H 150	2F	21	84,89	83,52	91	65	46,0	58	18	316	2,08
	22 H 150	2F	22	88,94	87,56	93	68	46,0	58	18	317	2,30
	23 H 150	2F	23	92,98	91,61	97	72	46,0	58	18	318	2,54
	24 H 150	2F	24	97,03	95,65	103	72	46,0	58	18	320	2,75
	25 H 150	2F	25	101,06	99,69	106	72	46,0	58	18	321	2,97
	26 H 150	2F	26	105,11	103,73	111	80	46,0	58	18	322	3,29
	27 H 150	2F	27	109,15	107,78	115	80	46,0	58	18	323	3,52
	28 H 150	2F	28	113,19	111,82	119	80	46,0	58	18	325	3,78
	29 H 150	2F	29	117,23	115,86	123	80	46,0	58	18	326	4,03
	30 H 150	2F	30	121,29	119,90	127	80	46,0	58	18	327	4,29
	32 H 150	2F	32	129,36	127,99	135	80	46,0	58	18	328	4,86
	33 H 150	2F	33	133,40	132,03	140	80	46,0	58	18	330	5,15
	34 H 150	2F	34	137,45	136,07	143	80	46,0	58	18	331	5,46
GHISA	35 H 150	2F	35	141,49	140,12	148	80	46,0	58	18	333	5,78
	36 H 150	2F	36	145,53	144,16	152	80	46,0	58	18	334	6,09
	38 H 150	2F	38	153,62	152,24	158	80	46,0	58	18	335	6,74
	40 H 150	2F	40	161,70	160,33	168	80	46,0	58	18	338	7,46
	44 H 150	4F	44	177,87	176,50	184	80	46,0	58	18	339	4,29
	45 H 150	4F	45	181,91	180,54	192	80	46,0	58	18	340	4,44
	48 H 150	4F	48	194,04	192,67	200	90	46,0	65	18	342	5,41
	50 H 150	4	50	202,13	200,75	-	90	46,0	65	18	-	5,59
	52 H 150	4	52	210,21	208,84	-	90	46,0	65	18	-	5,79
	58 H 150	4	58	234,47	233,09	-	90	46,0	65	18	-	6,15
	60 H 150	4	60	242,55	241,18	-	100	46,0	65	18	-	7,08
	70 H 150	4	70	282,98	281,61	-	100	46,0	65	24	-	7,77
	72 H 150	4	72	291,06	289,69	-	120	46,0	65	24	-	9,70
	84 H 150	4	84	339,57	338,20	-	120	46,0	65	24	-	10,99
	96 H 150	4	96	388,08	386,71	-	120	46,0	65	24	-	12,24
	120 H 150	4	120	485,10	483,73	-	120	46,0	65	24	-	16,17

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT®


TIMING BELTS PULLEYS



2F



4






4F

H 200 PASSO 1/2" (12,7 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	14 H 200	2F	14	56,59	55,22	63	40	58,7	70	18	309	1,10
	15 H 200	2F	15	60,64	59,27	66	45	58,7	70	18	310	1,33
	16 H 200	2F	16	64,68	63,31	71	45	58,7	70	18	311	1,54
	17 H 200	2F	17	68,72	67,35	75	45	58,7	70	18	312	1,69
	18 H 200	2F	18	72,77	71,39	79	55	58,7	70	18	313	1,95
	19 H 200	2F	19	76,81	75,44	83	60	58,7	70	18	314	2,20
	20 H 200	2F	20	80,85	79,48	87	62	58,7	70	18	315	2,44
	21 H 200	2F	21	84,89	83,52	91	65	58,7	70	18	316	2,70
	22 H 200	2F	22	88,94	87,56	93	68	58,7	70	18	317	2,97
	23 H 200	2F	23	92,98	91,61	97	72	58,7	70	18	318	3,25
	24 H 200	2F	24	97,03	95,65	103	72	58,7	70	18	320	3,56
	25 H 200	2F	25	101,06	99,69	106	72	58,7	70	18	321	3,81
	26 H 200	2F	26	105,11	103,73	111	80	58,7	70	18	322	4,18
	27 H 200	2F	27	109,15	107,78	115	80	58,7	70	18	323	4,49
	28 H 200	2F	28	113,19	111,82	119	80	58,7	70	18	325	4,81
	29 H 200	2F	29	117,23	115,86	123	80	58,7	70	18	326	5,14
	30 H 200	2F	30	121,29	119,90	127	80	58,7	70	18	327	5,47
	32 H 200	2F	32	129,36	127,99	135	80	58,7	70	18	328	6,17
	33 H 200	2F	33	133,40	132,03	140	80	58,7	70	18	330	6,56
	34 H 200	2F	34	137,45	136,07	143	80	58,7	70	18	331	6,94
GHISA	35 H 200	2F	35	141,49	140,12	148	80	58,7	70	18	333	7,34
	36 H 200	2F	36	145,53	144,16	152	80	58,7	70	18	334	7,75
	38 H 200	2F	38	153,62	152,24	158	80	58,7	70	18	335	8,62
	40 H 200	2F	40	161,70	160,33	168	80	58,7	70	18	338	9,50
	44 H 200	4F	44	177,87	176,50	184	80	58,7	70	18	339	5,14
	45 H 200	4F	45	181,91	180,54	192	80	58,7	70	18	340	5,38
	48 H 200	4F	48	194,04	192,67	200	90	58,7	75	24	342	6,29
	50 H 200	4	50	202,13	200,75	-	90	58,7	75	24	-	6,68
	52 H 200	4	52	210,21	208,84	-	90	58,7	75	24	-	6,81
	58 H 200	4	58	234,47	233,09	-	90	58,7	75	24	-	7,26
	60 H 200	4	60	242,55	241,18	-	100	58,7	75	24	-	8,25
	70 H 200	4	70	282,98	281,61	-	100	58,7	75	28	-	9,20
	72 H 200	4	72	291,06	289,69	-	120	58,7	75	28	-	11,09
	84 H 200	4	84	339,57	338,20	-	120	58,7	75	28	-	12,63
	96 H 200	4	96	388,08	386,71	-	120	58,7	75	28	-	14,51
	120 H 200	4	120	485,10	483,73	-	120	58,7	75	28	-	19,15

PULEGGE DENTATE PER CINGHIE POSITIVE SYNCHROBELT® TIMING BELTS PULLEYS



H 300 PASSO 1/2" (12,7 mm)

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ACCIAIO	14 H 300	2F	14	56,59	55,22	63	40	85,7	100	18	309	1,64
	15 H 300	2F	15	60,64	59,27	66	45	85,7	100	18	310	1,91
	16 H 300	2F	16	64,68	63,31	71	45	85,7	100	18	311	2,16
	17 H 300	2F	17	68,72	67,35	75	45	85,7	100	18	312	2,43
	18 H 300	2F	18	72,77	71,39	79	55	85,7	100	18	313	2,80
	19 H 300	2F	19	76,81	75,44	83	60	85,7	100	18	314	3,16
	20 H 300	2F	20	80,85	79,48	87	62	85,7	100	18	315	3,50
	21 H 300	2F	21	84,89	83,52	91	65	85,7	100	18	316	3,87
	22 H 300	2F	22	88,94	87,56	93	68	85,7	100	18	317	4,26
	23 H 300	2F	23	92,98	91,61	97	72	85,7	100	18	318	4,68
	24 H 300	2F	24	97,03	95,65	103	72	85,7	100	18	320	5,08
	25 H 300	2F	25	101,06	99,69	106	72	85,7	100	18	321	5,45
	26 H 300	2F	26	105,11	103,73	111	80	85,7	100	18	322	6,01
	27 H 300	2F	27	109,15	107,78	115	80	85,7	100	18	323	6,45
	28 H 300	2F	28	113,19	111,82	119	80	85,7	100	18	325	6,91
	30 H 300	2F	30	121,29	119,90	127	80	85,7	100	18	327	7,90
	32 H 300	2F	32	129,36	127,99	135	80	85,7	100	18	328	8,92
	33 H 300	2F	33	133,40	132,03	140	80	85,7	100	18	330	9,46
	34 H 300	2F	34	137,45	136,07	143	80	85,7	100	18	331	10,04
	35 H 300	2F	35	141,49	140,12	148	80	85,7	100	18	333	10,62
	36 H 300	2F	36	145,53	144,16	152	80	85,7	100	18	334	11,24
	38 H 300	2F	38	153,62	152,24	158	80	85,7	100	18	335	12,44
	40 H 300	2F	40	161,70	160,33	168	80	85,7	100	18	338	13,80
GHISA	44 H 300	4F	44	177,87	176,50	184	80	85,7	100	24	339	7,22
	48 H 300	4F	48	194,04	192,67	200	90	85,7	100	24	342	8,60
	50 H 300	4	50	202,13	200,75	-	90	85,7	100	24	-	8,99
	58 H 300	4	58	234,47	233,09	-	90	85,7	100	24	-	10,04
	60 H 300	4	60	242,55	241,18	-	100	85,7	100	24	-	11,18
	72 H 300	4	72	291,06	289,69	-	120	85,7	100	28	-	15,07
	84 H 300	4	84	339,57	338,20	-	120	85,7	100	28	-	16,97
	96 H 300	4	96	388,08	386,71	-	120	85,7	100	28	-	19,86
	120 H 300	4	120	485,10	483,73	-	120	85,7	100	28	-	25,91

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD" SYNCHROBELT® "HTD" TIMING BELTS PULLEYS

3M - 09

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ALLUMINIO UNI 9006 - T6	10-3M-09	1F	10	9,55	8,79	13,0	12,0	-	10,2	17,5	-	100	0,004
	12-3M-09	1F	12	11,46	10,70	15,0	15,0	-	10,2	17,5	-	101	0,006
	14-3M-09	1F	14	13,37	12,61	16,0	16,0	-	10,2	17,5	-	102	0,007
	15-3M-09	1F	15	14,32	13,56	18,0	17,5	-	10,2	17,5	-	104	0,008
	16-3M-09	2F	16	15,28	14,52	18,0	10,0	-	12,8	20,6	4	104	0,007
	18-3M-09	2F	18	17,19	16,43	19,5	11,0	-	12,8	20,6	6	105	0,008
	20-3M-09	2F	20	19,10	18,34	23,0	13,0	-	12,8	20,6	6	107	0,010
	21-3M-09	2F	21	20,05	19,29	25,0	14,0	-	12,8	20,6	6	108	0,013
	22-3M-09	2F	22	21,01	20,25	25,0	14,0	-	12,8	20,6	6	108	0,014
	24-3M-09	2F	24	22,92	22,16	25,0	14,0	-	12,8	20,6	6	108	0,016
	26-3M-09	2F	26	24,83	24,07	28,0	16,0	-	12,8	20,6	6	109	0,018
	28-3M-09	2F	28	26,74	25,98	32,0	18,0	-	12,8	20,6	6	110	0,024
	30-3M-09	2F	30	28,65	27,89	32,0	20,0	-	12,8	20,6	6	110	0,028
	32-3M-09	2F	32	30,56	29,80	36,0	22,0	-	12,8	20,6	6	111	0,032
	36-3M-09	2F	36	34,38	33,62	38,0	26,0	-	13,4	22,2	6	112	0,045
	40-3M-09	2F	40	38,20	37,44	42,0	28,0	-	13,4	22,2	6	113	0,055
	44-3M-09	2F	44	42,02	41,26	48,0	33,0	-	13,4	22,2	6	114	0,074
	48-3M-09	2	48	45,84	45,08	-	33,0	-	13,4	22,2	8	-	0,106
	60-3M-09	2	60	57,30	56,54	-	33,0	-	13,4	22,2	8	-	0,106
	72-3M-09	2	72	68,76	68,00	-	33,0	-	13,4	22,2	8	-	0,145

3M - 15

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ALLUMINIO UNI 9006 - T6	10-3M-15	1F	10	9,55	8,79	13,0	12,0	-	17,0	26,0	-	100	0,006
	12-3M-15	1F	12	11,46	10,70	15,0	15,0	-	17,0	26,0	-	101	0,008
	14-3M-15	1F	14	13,37	12,61	16,0	16,0	-	17,0	26,0	-	102	0,010
	15-3M-15	1F	15	14,32	13,56	18,0	17,5	-	17,0	26,0	-	104	0,012
	16-3M-15	2F	16	15,28	14,52	18,0	10,0	-	19,5	26,0	4	104	0,010
	18-3M-15	2F	18	17,19	16,43	19,5	11,0	-	19,5	26,0	6	105	0,012
	20-3M-15	2F	20	19,10	18,34	23,0	13,0	-	19,5	26,0	6	107	0,014
	21-3M-15	2F	21	20,05	19,29	25,0	14,0	-	19,5	26,0	6	108	0,016
	22-3M-15	2F	22	21,01	20,25	25,0	14,0	-	19,5	26,0	6	108	0,018
	24-3M-15	2F	24	22,92	22,16	25,0	14,0	-	19,5	26,0	6	108	0,020
	26-3M-15	2F	26	24,83	24,07	28,0	16,0	-	19,5	26,0	6	109	0,027
	28-3M-15	2F	28	26,74	25,98	32,0	18,0	-	19,5	26,0	6	110	0,031
	30-3M-15	2F	30	28,65	27,89	32,0	20,0	-	19,5	26,0	6	110	0,035
	32-3M-15	2F	32	30,56	29,80	36,0	22,0	-	19,5	26,0	6	111	0,042
	36-3M-15	2F	36	34,38	33,62	38,0	26,0	-	20,0	30,0	6	112	0,060
	40-3M-15	2F	40	38,20	37,44	42,0	28,0	-	20,0	30,0	6	113	0,075
	44-3M-15	2F	44	42,02	41,26	48,0	33,0	-	20,0	30,0	6	114	0,095
	48-3M-15	2	48	45,84	45,08	-	33,0	-	20,0	30,0	8	-	0,103
	60-3M-15	2	60	57,30	56,54	-	33,0	-	20,0	30,0	8	-	0,150
	72-3M-15	2	72	68,76	68,00	-	33,0	-	20,0	30,0	8	-	0,212

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD"
SYNCHROBELT® "HTD" TIMING BELTS PULLEYS

5M - 09

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	12-5M-09	2F	12	19,10	17,96	23	12,5	-	14,5	20,0	6	202	0,03
	14-5M-09	2F	14	22,28	21,14	25	13,5	-	14,5	20,0	6	203	0,04
	15-5M-09	2F	15	23,87	22,73	28	16,0	-	14,5	20,0	6	204	0,05
	16-5M-09	2F	16	25,46	24,32	28	16,5	-	14,5	20,0	6	204	0,06
	18-5M-09	2F	18	28,65	27,51	32	20,0	-	14,5	20,0	6	205	0,07
	20-5M-09	2F	20	31,83	30,69	36	23,0	-	14,5	22,5	6	206	0,10
	21-5M-09	2F	21	33,42	32,28	38	24,0	-	14,5	22,5	6	207	0,12
	22-5M-09	2F	22	35,01	33,87	38	25,5	-	14,5	22,5	6	207	0,13
	24-5M-09	2F	24	38,20	37,06	42	27,0	-	14,5	22,5	6	208	0,15
	26-5M-09	2F	26	41,38	40,24	44	30,0	-	14,5	22,5	6	209	0,18
	28-5M-09	2F	28	44,56	43,42	48	30,5	-	14,5	22,5	6	210	0,21
	30-5M-09	2F	30	47,75	46,60	51	35,0	-	14,5	22,5	6	211	0,25
	32-5M-09	2F	32	50,93	49,79	54	38,0	-	14,5	22,5	8	212	0,28
	36-5M-09	2F	36	57,30	56,16	60	38,0	-	14,5	22,5	8	214	0,33
	40-5M-09	2F	40	63,66	62,52	71	38,0	-	14,5	22,5	8	217	0,42
ALLUMINIO UNI 9006 - T6	44-5M-09	2	44	70,03	68,89	-	38,0	-	14,5	25,5	8	-	0,17
	48-5M-09	2	48	76,39	75,25	-	45,0	-	14,5	25,5	8	-	0,18
	60-5M-09	2	60	95,49	94,35	-	45,0	-	14,5	25,5	8	-	0,23
	72-5M-09	2	72	114,59	113,45	-	45,0	-	14,5	25,5	8	-	0,42

5M - 15

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	12-5M-15	2F	12	19,10	17,96	23	12,5	-	20,5	26	6	202	0,03
	14-5M-15	2F	14	22,28	21,14	25	13,5	-	20,5	26	6	203	0,04
	15-5M-15	2F	15	23,87	22,73	28	16,0	-	20,5	26	6	204	0,05
	16-5M-15	2F	16	25,46	24,32	28	16,5	-	20,5	26	6	204	0,06
	18-5M-15	2F	18	28,65	27,51	32	20,0	-	20,5	26	6	205	0,09
	20-5M-15	2F	20	31,83	30,69	36	23,0	-	20,5	26	6	206	0,12
	21-5M-15	2F	21	33,42	32,28	38	24,0	-	20,5	26	6	207	0,14
	22-5M-15	2F	22	35,01	33,87	38	25,5	-	20,5	26	6	207	0,15
	24-5M-15	2F	24	38,20	37,06	42	27,0	-	20,5	28	6	208	0,19
	26-5M-15	2F	26	41,38	40,24	44	30,0	-	20,5	28	6	209	0,23
	28-5M-15	2F	28	44,56	43,42	48	30,5	-	20,5	28	6	210	0,26
	30-5M-15	2F	30	47,75	46,60	51	35,0	-	20,5	28	6	211	0,32
	32-5M-15	2F	32	50,93	49,79	54	38,0	-	20,5	28	8	212	0,35
	36-5M-15	2F	36	57,30	56,16	60	38,0	-	20,5	28	8	214	0,43
	40-5M-15	2F	40	63,66	62,52	71	38,0	-	20,5	28	8	217	0,52
ALLUMINIO UNI 9006 - T6	44-5M-15	2	44	70,03	68,89	-	38,0	-	20,5	30	8	-	0,23
	48-5M-15	2	48	76,39	75,25	-	38,0	-	20,5	30	8	-	0,29
	60-5M-15	2	60	95,49	94,35	-	50,0	-	20,5	30	8	-	0,30
	72-5M-15	2	72	114,59	113,45	-	50,0	-	20,5	30	8	-	0,59

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD"
SYNCHROBELT® "HTD" TIMING BELTS PULLEYS

5M - 25

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	12-5M-25	2F	12	19,10	17,96	23	12,5	-	30,5	36	6	202	0,05
	14-5M-25	2F	14	22,28	21,14	25	13,5	-	30,5	36	6	203	0,08
	15-5M-25	2F	15	23,87	22,73	28	16,0	-	30,5	36	6	204	0,09
	16-5M-25	2F	16	25,46	24,32	28	16,5	-	30,5	36	6	204	0,11
	18-5M-25	2F	18	28,65	27,51	32	20,0	-	30,5	36	6	205	0,13
	20-5M-25	2F	20	31,83	30,69	36	23,0	-	30,5	36	6	206	0,17
	21-5M-25	2F	21	33,42	32,28	38	24,0	-	30,5	38	6	207	0,20
	22-5M-25	2F	22	35,01	33,87	38	25,5	-	30,5	38	6	207	0,22
	24-5M-25	2F	24	38,20	37,06	42	27,0	-	30,5	38	6	208	0,26
	26-5M-25	2F	26	41,38	40,24	44	30,0	-	30,5	38	6	209	0,32
	28-5M-25	2F	28	44,56	43,42	48	30,5	-	30,5	38	6	210	0,37
	30-5M-25	2F	30	47,75	46,60	51	35,0	-	30,5	38	6	211	0,44
	32-5M-25	2F	32	50,93	49,79	54	38,0	-	30,5	38	8	212	0,48
	36-5M-25	2F	36	57,30	56,16	60	38,0	-	30,5	38	8	214	0,59
	40-5M-25	2F	40	63,66	62,52	71	38,0	-	30,5	38	8	217	0,75
ALLUMINIO UNI 9006 - T6	44-5M-25	2	44	70,03	68,89	-	38,0	-	30,5	40	8	-	0,32
	48-5M-25	2	48	76,39	75,25	-	38,0	-	30,5	40	8	-	0,28
	60-5M-25	2	60	95,49	94,35	-	50,0	-	30,5	40	8	-	0,44
	72-5M-25	2	72	114,59	113,45	-	50,0	-	30,5	40	8	-	0,85

8M - 20

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	22-8M-20	2F	22	56,02	54,65	60	43	-	28	38	12	308	0,54
	24-8M-20	2F	24	61,11	59,74	66	45	-	28	38	12	310	0,65
	26-8M-20	2F	26	66,21	64,84	71	48	-	28	38	12	311	0,80
	28-8M-20	2F	28	71,30	70,08	75	50	-	28	38	14	312	0,88
	30-8M-20	2F	30	76,39	75,13	83	55	-	28	38	14	314	1,00
	32-8M-20	2F	32	81,49	80,16	87	60	-	28	38	14	315	1,20
	34-8M-20	2F	34	86,58	85,21	91	66	-	28	38	14	316	1,40
	36-8M-20	2F	36	91,67	90,30	98,5	70	-	28	38	14	319	1,60
	38-8M-20	2F	38	96,77	95,39	103	75	-	28	38	14	320	1,70
	40-8M-20	2F	40	101,86	100,49	106	75	-	28	38	14	321	1,85
	44-8M-20	2F	44	112,05	110,67	119	75	-	28	38	14	325	2,10
	48-8M-20	2F	48	122,23	120,86	127	75	-	28	38	14	327	2,50
	56-8M-20	3F	56	142,60	141,23	148	80	116	28	38	14	333	2,82
	64-8M-20	3F	64	162,97	161,60	168	80	137	28	38	14	338	3,22
	72-8M-20	3F	72	183,35	181,97	192	80	158	28	38	14	340	3,74
GHISA	80-8M-20	3	80	203,72	202,35	-	90	180	28	38	14	-	3,78
	90-8M-20	3	90	229,18	227,81	-	90	204	28	38	14	-	4,57
	* 112-8M-20	4	112	285,21	283,83	-	90	254	28	38	18	-	
	* 144-8M-20	4	144	366,69	365,32	-	90	336	28	38	20	-	
	* 168-8M-20	4	168	427,81	426,44	-	100	400	28	38	20	-	
	* 192-8M-20	4	192	488,92	487,55	-	100	460	28	38	20	-	

* Costruita a richiesta - Manufactured on request.

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD"
SYNCHROBELT® "HTD" TIMING BELTS PULLEYS

8M - 30

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	22-8M-30	2F	22	56,02	54,65	60	43	-	38	48	12	308	0,75
	24-8M-30	2F	24	61,11	59,74	66	45	-	38	48	12	310	0,90
	26-8M-30	2F	26	66,21	64,84	71	48	-	38	48	12	311	1,10
	28-8M-30	2F	28	71,30	70,08	75	50	-	38	48	14	312	1,20
	30-8M-30	2F	30	76,39	75,13	83	55	-	38	48	14	314	1,32
	32-8M-30	2F	32	81,49	80,16	87	60	-	38	48	14	315	1,55
	34-8M-30	2F	34	86,58	85,21	91	66	-	38	48	14	316	1,80
	36-8M-30	2F	36	91,67	90,30	98,5	70	-	38	48	14	319	2,10
	38-8M-30	2F	38	96,77	95,39	103	75	-	38	48	14	320	2,30
	40-8M-30	2F	40	101,86	100,49	106	75	-	38	48	14	321	2,47
	44-8M-30	2F	44	112,05	110,67	119	75	-	38	48	14	325	2,95
	48-8M-30	2F	48	122,23	120,86	127	75	-	38	48	14	327	3,30
	56-8M-30	3F	56	142,60	141,23	148	90	116	38	48	14	333	4,02
	64-8M-30	3F	64	162,97	161,60	168	90	137	38	48	14	338	4,60
	72-8M-30	3F	72	183,35	181,97	192	95	158	38	48	14	340	5,41
GHISA	80-8M-30	3	80	203,72	202,35	-	100	180	38	48	14	-	5,23
	90-8M-30	3	90	229,18	227,81	-	100	204	38	48	14	-	6,42
	112-8M-30	4	112	285,21	283,83	-	100	254	38	48	18	-	8,12
	144-8M-30	4	144	366,69	365,32	-	100	336	38	48	20	-	10,36
	168-8M-30	4	168	427,81	426,44	-	100	400	38	48	20	-	12,37
	192-8M-30	4	192	488,92	487,55	-	100	460	38	48	20	-	14,31

8M - 50

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	22-8M-50	2F	22	56,02	54,65	60	43	-	60	70	12	308	1,10
	24-8M-50	2F	24	61,11	59,74	66	45	-	60	70	12	310	1,30
	26-8M-50	2F	26	66,21	64,84	71	48	-	60	70	12	311	1,60
	28-8M-50	2F	28	71,30	70,08	75	50	-	60	70	14	312	1,70
	30-8M-50	2F	30	76,39	75,13	83	55	-	60	70	14	314	2,00
	32-8M-50	2F	32	81,49	80,16	87	60	-	60	70	14	315	2,35
	34-8M-50	2F	34	86,58	85,21	91	66	-	60	70	14	316	2,80
	36-8M-50	2F	36	91,67	90,30	98,5	70	-	60	70	14	319	3,10
	38-8M-50	2F	38	96,77	95,39	103	75	-	60	70	14	320	3,30
	40-8M-50	2F	40	101,86	100,49	106	75	-	60	70	14	321	3,60
	44-8M-50	2F	44	112,05	110,67	119	75	-	60	70	14	325	4,40
	48-8M-50	2F	48	122,23	120,86	127	75	-	60	70	14	327	5,00
	56-8M-50	7F	56	142,60	141,23	148	90	116	60	60	18	333	5,68
	64-8M-50	7F	64	162,97	161,60	168	100	137	60	60	18	338	6,93
	72-8M-50	7F	72	183,35	181,97	192	100	158	60	60	18	340	7,95
GHISA	80-8M-50	7	80	203,72	202,35	-	110	180	60	60	18	-	7,96
	90-8M-50	7	90	229,18	227,81	-	110	204	60	60	18	-	9,20
	112-8M-50	8	112	285,21	283,83	-	110	254	60	60	18	-	12,16
	144-8M-50	8	144	366,69	365,32	-	110	336	60	60	20	-	15,68
	168-8M-50	8	168	427,81	426,44	-	120	400	60	60	20	-	18,99
	192-8M-50	8	192	488,92	487,55	-	130	460	60	60	20	-	24,09

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD" SYNCHROBELT® "HTD" TIMING BELTS PULLEYS

8M - 85

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	22-8M-85	2F	22	56,02	54,65	60	43	-	95	105	12	308	1,60
	24-8M-85	2F	24	61,11	59,74	66	45	-	95	105	12	310	1,95
	26-8M-85	2F	26	66,21	64,84	71	48	-	95	105	12	311	2,30
	28-8M-85	2F	28	71,30	70,08	75	50	-	95	105	14	312	2,60
	30-8M-85	2F	30	76,39	75,13	83	55	-	95	105	14	314	3,10
	32-8M-85	2F	32	81,49	80,16	87	60	-	95	105	14	315	3,70
	34-8M-85	2F	34	86,58	85,21	91	66	-	95	105	14	316	4,00
	36-8M-85	2F	36	91,67	90,30	98,5	70	-	95	105	14	319	4,70
	38-8M-85	2F	38	96,77	95,39	103	75	-	95	105	14	320	5,10
	40-8M-85	2F	40	101,86	100,49	106	75	-	95	105	14	321	5,40
	44-8M-85	2F	44	112,05	110,67	119	75	-	95	105	14	325	6,70
	48-8M-85	2F	48	122,23	120,86	127	75	-	95	105	14	327	7,20
	56-8M-85	2F	56	142,60	141,23	148	80	-	95	105	18	333	11,48
	64-8M-85	7F	64	162,97	161,60	168	100	137	95	95	18	338	11,02
	72-8M-85	7F	72	183,35	181,97	192	110	158	95	95	18	340	13,45
GHISA	80-8M-85	8	80	203,72	202,35	-	110	180	95	95	20	-	12,36
	90-8M-85	8	90	229,18	227,81	-	110	204	95	95	20	-	14,38
	112-8M-85	8	112	285,21	283,83	-	110	254	95	95	24	-	18,66
	* 144-8M-85	8	144	366,69	365,32	-	120	336	95	95	24	-	
	* 168-8M-85	8	168	427,81	426,44	-	120	400	95	95	24	-	
	* 192-8M-85	8	192	488,92	487,55	-	130	460	95	95	24	-	

* Costruite a richiesta - Manufactured on request.

14M - 40

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	28-14M-40	2F	28	124,78	122,12	127	100	-	54	69	24	400	4,80
	30-14M-40	2F	30	133,69	130,99	138	100	-	54	69	24	401	5,60
	32-14M-40	2F	32	142,60	139,88	154	100	-	54	69	24	403	6,20
	34-14M-40	2F	34	151,52	148,79	160	100	-	54	69	24	404	6,90
	36-14M-40	2F	36	160,43	157,68	168	100	-	54	69	24	405	7,70
	38-14M-40	2F	38	169,34	166,60	183	120	-	54	69	24	406	8,90
	40-14M-40	2F	40	178,25	175,49	188	120	-	54	69	24	407	9,80
	44-14M-40	2F	44	196,08	193,28	211	120	-	54	69	24	411	12,00
GHISA	48-14M-40	3F	48	213,90	211,11	226	135	170	54	69	24	412	11,98
	56-14M-40	3F	56	249,55	246,76	256	135	207	54	69	28	416	14,01
	64-14M-40	3F	64	285,21	282,41	296	135	240	54	69	28	418	16,65
	72-14M-40	4	72	320,86	318,06	-	135	278	54	69	28	-	15,52
	80-14M-40	4	80	356,51	353,71	-	135	314	54	69	28	-	17,23
	90-14M-40	4	90	401,07	398,28	-	135	358	54	69	28	-	19,40
	112-14M-40	4	112	499,11	496,32	-	135	456	54	69	28	-	24,14
	* 144-14M-40	4	144	641,71	638,92	-	135	600	54	69	28	-	
	* 168-14M-40	4	168	748,66	745,87	-	135	706	54	69	28	-	
	* 192-14M-40	4	192	855,62	852,82	-	135	813	54	69	28	-	

* Costruite a richiesta - Manufactured on request.

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD"
SYNCHROBELTS® "HTD" TIMING BELTS PULLEYS

14M - 55

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	28-14M-55	2F	28	124,78	122,12	127	100	-	70	85	24	400	5,70
	30-14M-55	2F	30	133,69	130,99	138	100	-	70	85	24	401	7,10
	32-14M-55	2F	32	142,60	139,88	154	100	-	70	85	24	403	7,90
	34-14M-55	2F	34	151,52	148,79	160	100	-	70	85	24	404	9,33
	36-14M-55	2F	36	160,43	157,68	168	100	-	70	85	24	405	10,49
	38-14M-55	2F	38	169,34	166,60	183	120	-	70	85	24	406	12,11
	40-14M-55	2F	40	178,25	175,49	188	120	-	70	85	24	407	13,30
	44-14M-55	2F	44	196,08	193,28	211	120	-	70	85	24	411	16,12
GHISA	48-14M-55	7F	48	213,90	211,11	226	135	170	70	70	24	412	13,50
	56-14M-55	7F	56	249,55	246,76	256	135	207	70	70	28	416	15,78
	64-14M-55	7F	64	285,21	282,41	296	135	240	70	70	28	418	19,04
	72-14M-55	8	72	320,86	318,06	-	135	278	70	70	28	-	18,41
	80-14M-55	8	80	356,51	353,71	-	135	314	70	70	28	-	20,27
	90-14M-55	8	90	401,07	398,28	-	135	358	70	70	28	-	22,98
	112-14M-55	8	112	499,11	496,32	-	135	456	70	70	28	-	29,29
	144-14M-55	8	144	641,71	638,92	-	135	600	70	70	28	-	-
	168-14M-55	8	168	748,66	745,87	-	135	706	70	70	28	-	-
	192-14M-55	8	192	855,62	852,82	-	135	813	70	70	28	-	-

14M - 85

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	28-14M-85	2F	28	124,78	122,12	127	100	-	102	117	24	400	8,77
	30-14M-85	2F	30	133,69	130,99	138	100	-	102	117	24	401	10,13
	32-14M-85	2F	32	142,60	139,88	154	100	-	102	117	24	403	11,65
	34-14M-85	2F	34	151,52	148,79	160	100	-	102	117	24	404	13,15
	36-14M-85	2F	36	160,43	157,68	168	100	-	102	117	32	405	14,48
	38-14M-85	2F	38	169,34	166,60	183	120	-	102	117	32	406	16,62
	40-14M-85	2F	40	178,25	175,49	188	135	-	102	117	32	407	18,84
	44-14M-85	2F	44	196,08	193,28	211	135	-	102	117	32	411	22,86
	48-14M-85	2F	48	213,90	211,11	226	150	-	102	117	32	412	27,58
GHISA	56-14M-85	7F	56	249,55	246,76	256	150	207	102	102	32	416	24,19
	64-14M-85	7F	64	285,21	282,41	296	150	240	102	102	32	418	28,57
	72-14M-85	8	72	320,86	318,06	-	150	278	102	102	32	-	28,26
	80-14M-85	8	80	356,51	353,71	-	150	314	102	102	32	-	31,00
	90-14M-85	8	90	401,07	398,28	-	150	358	102	102	32	-	35,00
	112-14M-85	8	112	499,11	496,32	-	150	456	102	102	32	-	43,50
	144-14M-85	8	144	641,71	638,92	-	150	600	102	102	32	-	-
	168-14M-85	8	168	748,66	745,87	-	150	706	102	102	32	-	-
	192-14M-85	8	192	855,62	852,82	-	165	813	102	102	32	-	-

PULEGGE DENTATE PER CINGHIE SYNCHROBELT® "HTD" SYNCHROBELT® "HTD" TIMING BELTS PULLEYS

14M - 115


MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	28-14M-115	2F	28	124,78	122,12	127	100	-	133	148	32	400	10,75
	30-14M-115	2F	30	133,69	130,99	138	100	-	133	148	32	401	12,52
	32-14M-115	2F	32	142,60	139,88	154	100	-	133	148	32	403	14,48
	34-14M-115	2F	34	151,52	148,79	160	100	-	133	148	32	404	16,45
	36-14M-115	2F	36	160,43	157,68	168	120	-	133	148	32	405	18,99
	38-14M-115	2F	38	169,34	166,60	183	120	-	133	148	32	406	21,31
	40-14M-115	2F	40	178,25	175,49	188	135	-	133	148	32	407	24,04
	44-14M-115	2F	44	196,08	193,28	211	140	-	133	148	32	411	29,41
	48-14M-115	2F	48	213,90	211,11	226	150	-	133	148	32	412	35,00
	56-14M-115	2F	56	249,55	246,76	256	150	-	133	148	32	416	48,00
GHISA	64-14M-115	7F	64	285,21	282,41	296	150	240	133	133	32	418	36,00
	72-14M-115	8	72	320,86	318,06	-	150	278	133	133	32	-	36,00
	80-14M-115	8	80	356,51	353,71	-	150	314	133	133	32	-	40,00
	90-14M-115	8	90	401,07	398,28	-	150	358	133	133	32	-	45,00
	112-14M-115	8	112	499,11	496,32	-	150	456	133	133	32	-	55,50
	144-14M-115	8	144	641,71	638,92	-	165	600	133	133	32	-	-
	168-14M-115	8	168	748,66	745,87	-	165	706	133	133	32	-	-
	192-14M-115	8	192	855,62	852,82	-	165	813	133	133	32	-	-

14M - 170


MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	28-14M-170	2F	28	124,78	122,12	127	100	-	187	202	32	400	14,79
	30-14M-170	2F	30	133,69	130,99	138	100	-	187	202	32	401	17,24
	32-14M-170	2F	32	142,60	139,88	154	100	-	187	202	32	403	19,92
	34-14M-170	2F	34	151,52	148,79	160	100	-	187	202	32	404	22,72
	36-14M-170	2F	36	160,43	157,68	168	120	-	187	202	32	405	26,07
	38-14M-170	2F	38	169,34	166,60	183	135	-	187	202	32	406	29,71
	40-14M-170	2F	40	178,25	175,49	188	140	-	187	202	32	407	33,50
	* 44-14M-170	2F	44	196,08	193,28	211	160	-	187	202	32	411	-
	* 48-14M-170	2F	48	213,90	211,11	226	160	-	187	202	32	412	-
	* 56-14M-170	2F	56	249,55	246,76	256	160	-	187	202	32	416	-
	* 64-14M-170	2F	64	285,21	282,41	296	180	-	187	202	32	418	-
GHISA	* 72-14M-170	7	72	320,86	318,06	-	180	278	187	187	32	-	-
	80-14M-170	7	80	356,51	353,71	-	180	314	187	187	32	-	71,00
	90-14M-170	8	90	401,07	398,28	-	180	358	187	187	38	-	73,00
	112-14M-170	8	112	499,11	496,32	-	200	456	187	187	38	-	95,00
	* 144-14M-170	8	144	641,71	638,92	-	220	600	187	187	38	-	-
	* 168-14M-170	8	168	748,66	745,87	-	220	706	187	187	38	-	-
	* 192-14M-170	8	192	855,62	852,82	-	220	813	187	187	38	-	-

* Costruite su richiesta - Manufactured on request.


PULEGGE DENTATE PASSO METRICO "T" **METRIC PULLEYS "T"**



1F



2



2F


T 2,5 (PASSO 2,5 mm) PER CINGHIA LARGHEZZA 6 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	16 T 2,5 12	1F	12	9,00	13,0	12	9	16	-	100	-
	16 T 2,5 14	1F	14	10,60	15,0	14	9	16	-	101	-
	16 T 2,5 15	1F	15	11,40	15,0	15	9	16	-	101	-
	16 T 2,5 16	1F	16	12,20	16,0	16	9	16	-	102	-
	16 T 2,5 18	2F	18	13,80	18,0	10	10	16	3	104	-
	16 T 2,5 19	2F	19	14,60	18,0	10	10	16	3	104	-
	16 T 2,5 20	2F	20	15,40	19,5	11	10	16	3	105	-
	16 T 2,5 22	2F	22	17,00	23,0	11	10	16	3	106	-
	16 T 2,5 24	2F	24	18,55	23,0	12	10	16	3	107	0,01
	16 T 2,5 25	2F	25	19,35	23,0	13	10	16	3	107	0,01
	16 T 2,5 26	2F	26	20,15	25,0	14	10	16	4	108	0,01
	16 T 2,5 28	2F	28	21,75	25,0	14	10	16	4	108	0,02
	16 T 2,5 30	2F	30	23,35	28,0	16	10	16	6	109	0,02
	16 T 2,5 32	2F	32	24,95	32,0	16	10	16	6	110	0,02
	16 T 2,5 36	2F	36	28,10	36,0	20	10	16	6	111	0,03
	16 T 2,5 40	2F	40	31,30	38,0	22	10	16	6	112	0,03
	16 T 2,5 44	2	44	34,50	-	24	10	16	6	-	0,04
	16 T 2,5 48	2	48	37,70	-	26	10	16	6	-	0,05
	16 T 2,5 60	2	60	47,25	-	34	10	16	8	-	0,07


T 5 (PASSO 5 mm) PER CINGHIA LARGHEZZA 10 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	21 T 5 10	2F	10	15,05	19,5	8	15	21	-	200	0,01
	21 T 5 12	2F	12	18,25	23,0	10	15	21	-	201	0,01
	21 T 5 14	2F	14	21,45	25,0	13	15	21	-	203	0,02
	21 T 5 15	2F	15	23,05	28,0	16	15	21	-	204	0,02
	21 T 5 16	2F	16	24,60	32,0	18	15	21	-	205	0,03
	21 T 5 18	2F	18	27,80	32,0	20	15	21	-	205	0,03
	21 T 5 19	2F	19	29,40	36,0	22	15	21	-	206	0,04
	21 T 5 20	2F	20	31,00	36,0	23	15	21	-	206	0,04
	21 T 5 22	2F	22	34,25	38,0	24	15	21	-	207	0,05
	21 T 5 24	2F	24	37,40	42,0	26	15	21	-	208	0,06
	21 T 5 25	2F	25	38,95	44,0	26	15	21	-	209	0,06
	21 T 5 26	2F	26	40,60	44,0	26	15	21	-	209	0,06
	21 T 5 27	2F	27	42,20	48,0	30	15	21	8	210	0,07
	21 T 5 28	2F	28	43,75	48,0	32	15	21	8	210	0,07
	21 T 5 30	2F	30	46,95	51,0	34	15	21	8	211	0,07
	21 T 5 32	2F	32	50,10	54,0	38	15	21	8	212	0,09
	21 T 5 36	2F	36	56,45	63,0	38	15	21	8	215	0,11
	21 T 5 40	2F	40	62,85	66,0	40	15	21	8	216	0,14
	21 T 5 42	2F	42	66,00	71,0	40	15	21	8	217	0,18
	21 T 5 44	2	44	69,20	-	45	15	21	8	-	0,18
	21 T 5 48	2	48	75,55	-	50	15	21	8	-	0,20
	21 T 5 60	2	60	94,65	-	65	15	21	8	-	0,31

PULEGGE DENTATE PASSO METRICO "T" **METRIC PULLEYS "T"**



2



2F



T 5 (PASSO 5 mm) PER CINGHIA LARGHEZZA 16 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	27 T 5 10	2F	10	15,05	19,5	8	21	27	-	200	0,02
	27 T 5 12	2F	12	18,25	23,0	10	21	27	-	201	0,02
	27 T 5 14	2F	14	21,45	25,0	13	21	27	-	203	0,03
	27 T 5 15	2F	15	23,05	28,0	16	21	27	-	204	0,03
	27 T 5 16	2F	16	24,60	32,0	18	21	27	-	205	0,04
	27 T 5 18	2F	18	27,80	32,0	20	21	27	-	205	0,04
	27 T 5 19	2F	19	29,40	36,0	22	21	27	-	206	0,05
	27 T 5 20	2F	20	31,00	36,0	23	21	27	-	206	0,06
	27 T 5 22	2F	22	34,25	38,0	24	21	27	-	207	0,06
	27 T 5 24	2F	24	37,40	42,0	26	21	27	-	208	0,08
	27 T 5 25	2F	25	38,95	44,0	26	21	27	-	209	0,08
	27 T 5 26	2F	26	40,60	44,0	26	21	27	-	209	0,09
	27 T 5 27	2F	27	42,20	48,0	30	21	27	8	210	0,09
	27 T 5 28	2F	28	43,75	48,0	32	21	27	8	210	0,09
	27 T 5 30	2F	30	46,95	51,0	34	21	27	8	211	0,10
	27 T 5 32	2F	32	50,10	54,0	38	21	27	8	212	0,12
	27 T 5 36	2F	36	56,45	63,0	38	21	27	8	215	0,16
	27 T 5 40	2F	40	62,85	66,0	40	21	27	8	216	0,19
	27 T 5 42	2F	42	66,00	71,0	40	21	27	8	217	0,20
	27 T 5 44	2	44	69,20	-	45	21	27	8	-	0,23
	27 T 5 48	2	48	75,55	-	50	21	27	8	-	0,28
	27 T 5 60	2	60	94,65	-	65	21	27	8	-	0,43

T 5 (PASSO 5 mm) PER CINGHIA LARGHEZZA 25 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	36 T 5 10	2F	10	15,05	19,5	8	30	36	-	200	0,02
	36 T 5 12	2F	12	18,25	23,0	10	30	36	-	201	0,03
	36 T 5 14	2F	14	21,45	25,0	13	30	36	-	203	0,04
	36 T 5 15	2F	15	23,05	28,0	16	30	36	-	204	0,04
	36 T 5 16	2F	16	24,60	32,0	18	30	36	-	205	0,05
	36 T 5 18	2F	18	27,80	32,0	20	30	36	-	205	0,06
	36 T 5 19	2F	19	29,40	36,0	22	30	36	-	206	0,07
	36 T 5 20	2F	20	31,00	36,0	23	30	36	-	206	0,08
	36 T 5 22	2F	22	34,25	38,0	24	30	36	-	207	0,08
	36 T 5 24	2F	24	37,40	42,0	26	30	36	-	208	0,11
	36 T 5 25	2F	25	38,95	44,0	26	30	36	-	209	0,12
	36 T 5 26	2F	26	40,60	44,0	26	30	36	-	209	0,12
	36 T 5 27	2F	27	42,20	48,0	30	30	36	8	210	0,13
	36 T 5 28	2F	28	43,75	48,0	32	30	36	8	210	0,14
	36 T 5 30	2F	30	46,95	51,0	34	30	36	8	211	0,15
	36 T 5 32	2F	32	50,10	54,0	38	30	36	8	212	0,18
	36 T 5 36	2F	36	56,45	63,0	38	30	36	8	215	0,23
	36 T 5 40	2F	40	62,85	66,0	40	30	36	8	216	0,28
	36 T 5 42	2F	42	66,00	71,0	40	30	36	8	217	0,29
	36 T 5 44	2	44	69,20	-	45	30	36	8	-	0,31
	36 T 5 48	2	48	75,55	-	50	30	36	8	-	0,40
	36 T 5 60	2	60	94,65	-	65	30	36	8	-	0,61

PULEGGE DENTATE PASSO METRICO "T" **METRIC PULLEYS "T"**




T 10 (PASSO 10 mm) PER CINGHIA LARGHEZZA 16 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	31 T 10 12	2F	12	36,35	42	28	21	31	6	208	0,08
	31 T 10 14	2F	14	42,70	48	32	21	31	8	210	0,10
	31 T 10 15	2F	15	45,90	51	32	21	31	8	211	0,12
	31 T 10 16	2F	16	49,10	54	35	21	31	8	212	0,13
	31 T 10 18	2F	18	55,45	60	40	21	31	8	214	0,17
	31 T 10 19	2F	19	58,65	66	44	21	31	8	216	0,18
	31 T 10 20	2F	20	61,80	66	46	21	31	8	216	0,21
	31 T 10 22	2F	22	68,20	75	52	21	31	8	218	0,25
	31 T 10 24	2F	24	74,55	83	58	21	31	8	219	0,29
	31 T 10 25	2F	25	77,75	83	60	21	31	8	219	0,31
	31 T 10 26	2F	26	80,90	87	60	21	31	8	220	0,36
	31 T 10 27	2F	27	84,10	91	60	21	31	8	221	0,37
	31 T 10 28	2F	28	87,25	93	60	21	31	8	222	0,40
	31 T 10 30	2F	30	93,65	97	60	21	31	8	223	0,44
	31 T 10 32	2F	32	100,00	106	65	21	31	10	224	0,49
	31 T 10 36	2F	36	112,75	119	70	21	31	10	225	0,62
	31 T 10 40	2F	40	125,45	131	80	21	31	10	226	0,77
	31 T 10 44	2	44	138,20	-	88	21	31	10	-	1,00
	31 T 10 48	2	48	150,95	-	95	21	31	16	-	1,10
	31 T 10 60	2	60	189,15	-	110	21	31	16	-	1,70


T 10 (PASSO 10 mm) PER CINGHIA LARGHEZZA 25 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	40 T 10 12	2F	12	36,35	42	28	30	40	6	208	0,10
	40 T 10 14	2F	14	42,70	48	32	30	40	8	210	0,13
	40 T 10 15	2F	15	45,90	51	32	30	40	8	211	0,15
	40 T 10 16	2F	16	49,10	54	35	30	40	8	212	0,18
	40 T 10 18	2F	18	55,45	60	40	30	40	8	214	0,22
	40 T 10 19	2F	19	58,65	66	44	30	40	8	216	0,25
	40 T 10 20	2F	20	61,80	66	46	30	40	8	216	0,28
	40 T 10 22	2F	22	68,20	75	52	30	40	8	218	0,34
	40 T 10 24	2F	24	74,55	83	58	30	40	8	219	0,39
	40 T 10 25	2F	25	77,75	83	60	30	40	8	219	0,42
	40 T 10 26	2F	26	80,90	87	60	30	40	8	220	0,48
	40 T 10 27	2F	27	84,10	91	60	30	40	8	221	0,54
	40 T 10 28	2F	28	87,25	93	60	30	40	8	222	0,55
	40 T 10 30	2F	30	93,65	97	60	30	40	8	223	0,64
	40 T 10 32	2F	32	100,00	106	65	30	40	10	224	0,69
	40 T 10 36	2F	36	112,75	119	70	30	40	10	225	0,87
	40 T 10 40	2F	40	125,45	131	80	30	40	10	226	1,07
	40 T 10 44	2	44	138,20	-	88	30	40	10	-	1,35
	40 T 10 48	2	48	150,95	-	95	30	40	16	-	1,52
	40 T 10 60	2	60	189,15	-	110	30	40	16	-	2,34

PULEGGE DENTATE PASSO METRICO "T" METRIC PULLEYS "T"



2



2F


T 10 (PASSO 10 mm) PER CINGHIA LARGHEZZA 32 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	47 T 10 18	2F	18	55,45	60	40	37	47	10	214	0,25
	47 T 10 19	2F	19	58,65	66	44	37	47	10	216	0,29
	47 T 10 20	2F	20	61,80	66	46	37	47	12	216	0,32
	47 T 10 22	2F	22	68,20	75	52	37	47	12	218	0,39
	47 T 10 24	2F	24	74,55	83	58	37	47	12	219	0,47
	47 T 10 25	2F	25	77,75	83	60	37	47	12	219	0,53
	47 T 10 26	2F	26	80,90	87	60	37	47	12	220	0,56
	47 T 10 27	2F	27	84,10	91	60	37	47	12	221	0,60
	47 T 10 28	2F	28	87,25	93	60	37	47	12	222	0,64
	47 T 10 30	2F	30	93,65	97	60	37	47	12	223	0,74
	47 T 10 32	2F	32	100,00	106	65	37	47	12	224	0,84
	47 T 10 36	2F	36	112,75	119	70	37	47	16	225	1,06
	47 T 10 40	2F	40	125,45	131	80	37	47	16	226	1,32
	47 T 10 44	2	44	138,20	-	88	37	47	16	-	1,61
	47 T 10 48	2	48	150,95	-	95	37	47	16	-	1,93
	47 T 10 60	2	60	189,10	-	110	37	47	16	-	3,00

T 10 (PASSO 10 mm) PER CINGHIA LARGHEZZA 50 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	66 T 10 18	2F	18	55,45	60	40	56	66	10	214	0,42
	66 T 10 19	2F	19	58,65	66	44	56	66	10	216	0,47
	66 T 10 20	2F	20	61,80	66	46	56	66	12	216	0,52
	66 T 10 22	2F	22	68,20	75	52	56	66	12	218	0,57
	66 T 10 24	2F	24	74,55	83	58	56	66	12	219	0,74
	66 T 10 25	2F	25	77,75	83	60	56	66	12	219	0,77
	66 T 10 26	2F	26	80,90	87	60	56	66	12	220	0,82
	66 T 10 27	2F	27	84,10	91	60	56	66	12	221	0,95
	66 T 10 28	2F	28	87,25	93	60	56	66	12	222	0,96
	66 T 10 30	2F	30	93,65	97	60	56	66	12	223	1,17
	66 T 10 32	2F	32	100,00	106	65	56	66	12	224	1,30
	66 T 10 36	2F	36	112,75	119	70	56	66	16	225	1,64
	66 T 10 40	2F	40	125,45	131	80	56	66	16	226	2,00
	66 T 10 44	2	44	138,20	-	88	56	66	16	-	2,36
	66 T 10 48	2	48	150,95	-	95	56	66	16	-	2,83
	66 T 10 60	2	60	189,10	-	110	56	66	16	-	4,37


**PULEGGE DENTATE PASSO METRICO
SERIE BAT PER CINGHIE "AT"
METRIC PULLEYS "AT"**




SERIE BAT 5 (PASSO 5 mm) PER CINGHIA AT LARGHEZZA 10 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	21 BAT 5 12	2F	12	17,85	23,0	10	15	21	-	201	0,01
	21 BAT 5 14	2F	14	21,05	25,0	13	15	21	-	203	0,02
	21 BAT 5 15	2F	15	22,65	28,0	16	15	21	-	204	0,02
	21 BAT 5 16	2F	16	24,20	32,0	18	15	21	-	205	0,03
	21 BAT 5 18	2F	18	27,40	32,0	20	15	21	-	205	0,03
	21 BAT 5 19	2F	19	29,00	36,0	22	15	21	-	206	0,04
	21 BAT 5 20	2F	20	30,60	36,0	23	15	21	-	206	0,04
	21 BAT 5 22	2F	22	33,85	38,0	24	15	21	-	207	0,05
	21 BAT 5 24	2F	24	37,00	42,0	26	15	21	-	208	0,06
	21 BAT 5 25	2F	25	38,55	44,0	26	15	21	-	209	0,06
	21 BAT 5 26	2F	26	40,20	44,0	26	15	21	-	209	0,06
	21 BAT 5 27	2F	27	41,80	48,0	30	15	21	8	210	0,07
	21 BAT 5 28	2F	28	43,35	48,0	32	15	21	8	210	0,07
	21 BAT 5 30	2F	30	46,55	51,0	34	15	21	8	211	0,07
	21 BAT 5 32	2F	32	49,70	54,0	38	15	21	8	212	0,09
	21 BAT 5 36	2F	36	56,05	63,0	38	15	21	8	215	0,11
	21 BAT 5 40	2F	40	62,45	66,0	40	15	21	8	216	0,14
	21 BAT 5 42	2F	42	65,60	71,0	40	15	21	8	217	0,18
	21 BAT 5 44	2	44	68,80	-	45	15	21	8	-	0,18
	21 BAT 5 48	2	48	75,15	-	50	15	21	8	-	0,20
	21 BAT 5 60	2	60	94,25	-	65	15	21	8	-	0,31

PULEGGE DENTATE PASSO METRICO SERIE BAT PER CINGHIE "AT" **METRIC PULLEYS "AT"**



2



2F

SERIE BAT 5 (PASSO 5 mm) PER CINGHIA AT LARGHEZZA 16 mm



MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	27 BAT 5 12	2F	12	17,85	23,0	10	21	27	-	201	0,02
	27 BAT 5 14	2F	14	21,05	25,0	13	21	27	-	203	0,03
	27 BAT 5 15	2F	15	22,65	28,0	16	21	27	-	204	0,03
	27 BAT 5 16	2F	16	24,20	32,0	18	21	27	-	205	0,04
	27 BAT 5 18	2F	18	27,40	32,0	20	21	27	-	205	0,04
	27 BAT 5 19	2F	19	29,00	36,0	22	21	27	-	206	0,05
	27 BAT 5 20	2F	20	30,60	36,0	23	21	27	-	206	0,06
	27 BAT 5 22	2F	22	33,85	38,0	24	21	27	-	207	0,06
	27 BAT 5 24	2F	24	37,00	42,0	26	21	27	-	208	0,08
	27 BAT 5 25	2F	25	38,55	44,0	26	21	27	-	209	0,08
	27 BAT 5 26	2F	26	40,20	44,0	26	21	27	-	209	0,09
	27 BAT 5 27	2F	27	41,80	48,0	30	21	27	8	210	0,09
	27 BAT 5 28	2F	28	43,35	48,0	32	21	27	8	210	0,09
	27 BAT 5 30	2F	30	46,55	51,0	34	21	27	8	211	0,10
	27 BAT 5 32	2F	32	49,70	54,0	38	21	27	8	212	0,12
	27 BAT 5 36	2F	36	56,05	63,0	38	21	27	8	215	0,16
	27 BAT 5 40	2F	40	62,45	66,0	40	21	27	8	216	0,19
	27 BAT 5 42	2F	42	65,60	71,0	40	21	27	8	217	0,20
	27 BAT 5 44	2	44	68,80	-	45	21	27	8	-	0,23
	27 BAT 5 48	2	48	75,15	-	50	21	27	8	-	0,28
	27 BAT 5 60	2	60	94,25	-	65	21	27	8	-	0,43

SERIE BAT 5 (PASSO 5 mm) PER CINGHIA AT LARGHEZZA 25 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	36 BAT 5 12	2F	12	17,85	23,0	10	30	36	-	201	0,03
	36 BAT 5 14	2F	14	21,05	25,0	13	30	36	-	203	0,04
	36 BAT 5 15	2F	15	22,65	28,0	16	30	36	-	204	0,04
	36 BAT 5 16	2F	16	24,20	32,0	18	30	36	-	205	0,05
	36 BAT 5 18	2F	18	27,40	32,0	20	30	36	-	205	0,06
	36 BAT 5 19	2F	19	29,00	36,0	22	30	36	-	206	0,07
	36 BAT 5 20	2F	20	30,60	36,0	23	30	36	-	206	0,08
	36 BAT 5 22	2F	22	33,85	38,0	24	30	36	-	207	0,08
	36 BAT 5 24	2F	24	37,00	42,0	26	30	36	8	208	0,11
	36 BAT 5 25	2F	25	38,55	44,0	26	30	36	8	209	0,12
	36 BAT 5 26	2F	26	40,20	44,0	26	30	36	8	209	0,12
	36 BAT 5 27	2F	27	41,80	48,0	30	30	36	8	210	0,13
	36 BAT 5 28	2F	28	43,35	48,0	32	30	36	8	210	0,14
	36 BAT 5 30	2F	30	46,55	51,0	34	30	36	8	211	0,15
	36 BAT 5 32	2F	32	49,70	54,0	38	30	36	8	212	0,18
	36 BAT 5 36	2F	36	56,05	63,0	38	30	36	8	215	0,23
	36 BAT 5 40	2F	40	62,45	66,0	40	30	36	8	216	0,28
	36 BAT 5 42	2F	42	65,60	71,0	40	30	36	8	217	0,29
	36 BAT 5 44	2	44	68,80	-	45	30	36	8	-	0,31
	36 BAT 5 48	2	48	75,15	-	50	30	36	8	-	0,40
	36 BAT 5 60	2	60	94,25	-	65	30	36	8	-	0,61

PULEGGE DENTATE PASSO METRICO SERIE BAT PER CINGHIE "AT"

METRIC PULLEYS "AT"



SERIE BAT 10 (PASSO 10 mm) PER CINGHIA AT LARGHEZZA 16 mm


MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	31 BAT 10 15	2F	15	45,90	51	32	21	31	8	211	0,12
	31 BAT 10 16	2F	16	49,10	54	35	21	31	8	212	0,13
	31 BAT 10 18	2F	18	55,45	60	40	21	31	8	214	0,17
	31 BAT 10 19	2F	19	58,65	66	44	21	31	8	216	0,18
	31 BAT 10 20	2F	20	61,80	66	46	21	31	8	216	0,21
	31 BAT 10 22	2F	22	68,20	75	52	21	31	8	218	0,25
	31 BAT 10 24	2F	24	74,55	83	58	21	31	8	219	0,29
	31 BAT 10 25	2F	25	77,75	83	60	21	31	8	219	0,31
	31 BAT 10 26	2F	26	80,90	87	60	21	31	8	220	0,36
	31 BAT 10 27	2F	27	84,05	91	60	21	31	8	221	0,37
	31 BAT 10 28	2F	28	87,25	93	60	21	31	8	222	0,40
	31 BAT 10 30	2F	30	93,65	97	60	21	31	8	223	0,44
	31 BAT 10 32	2F	32	100,00	106	65	21	31	10	224	0,49
	31 BAT 10 36	2F	36	112,75	119	70	21	31	10	225	0,62
	31 BAT 10 40	2F	40	125,45	131	80	21	31	10	226	0,77
	31 BAT 10 44	2	44	138,20	-	88	21	31	10	-	1,00
	31 BAT 10 48	2	48	150,95	-	95	21	31	16	-	1,10
	31 BAT 10 60	2	60	189,15	-	110	21	31	16	-	1,70

SERIE BAT 10 (PASSO 10 mm) PER CINGHIA AT LARGHEZZA 25 mm


MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	40 BAT 10 15	2F	15	45,90	51	32	30	40	8	211	0,15
	40 BAT 10 16	2F	16	49,10	54	35	30	40	8	212	0,18
	40 BAT 10 18	2F	18	55,45	60	40	30	40	8	214	0,22
	40 BAT 10 19	2F	19	58,65	66	44	30	40	8	216	0,25
	40 BAT 10 20	2F	20	61,80	66	46	30	40	8	216	0,28
	40 BAT 10 22	2F	22	68,20	75	52	30	40	8	218	0,34
	40 BAT 10 24	2F	24	74,55	83	58	30	40	8	219	0,39
	40 BAT 10 25	2F	25	77,75	83	60	30	40	8	219	0,42
	40 BAT 10 26	2F	26	80,90	87	60	30	40	8	220	0,48
	40 BAT 10 27	2F	27	84,05	91	60	30	40	8	221	0,54
	40 BAT 10 28	2F	28	87,25	93	60	30	40	8	222	0,55
	40 BAT 10 30	2F	30	93,65	97	60	30	40	8	223	0,64
	40 BAT 10 32	2F	32	100,00	106	65	30	40	10	224	0,69
	40 BAT 10 36	2F	36	112,75	119	70	30	40	10	225	0,87
	40 BAT 10 40	2F	40	125,45	131	80	30	40	10	226	1,07
	40 BAT 10 44	2	44	138,20	-	88	30	40	10	-	1,35
	40 BAT 10 48	2	48	150,95	-	95	30	40	16	-	1,52
	40 BAT 10 60	2	60	189,15	-	110	30	40	16	-	2,34

PULEGGE DENTATE PASSO METRICO SERIE BAT PER CINGHIE "AT"

METRIC PULLEYS "AT"



2



2F

SERIE BAT 10 (PASSO 10 mm) PER CINGHIA AT LARGHEZZA 32 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	47 BAT 10 18	2F	18	55,45	60	40	37	47	10	214	0,25
	47 BAT 10 19	2F	19	58,65	66	44	37	47	10	216	0,29
	47 BAT 10 20	2F	20	61,80	66	46	37	47	12	216	0,32
	47 BAT 10 22	2F	22	68,20	75	52	37	47	12	218	0,39
	47 BAT 10 24	2F	24	74,55	83	58	37	47	12	219	0,47
	47 BAT 10 25	2F	25	77,75	83	60	37	47	12	219	0,53
	47 BAT 10 26	2F	26	80,90	87	60	37	47	12	220	0,56
	47 BAT 10 27	2F	27	84,05	91	60	37	47	12	221	0,60
	47 BAT 10 28	2F	28	87,25	93	60	37	47	12	222	0,64
	47 BAT 10 30	2F	30	93,65	97	60	37	47	12	223	0,74
	47 BAT 10 32	2F	32	100,00	106	65	37	47	12	224	0,84
	47 BAT 10 36	2F	36	112,75	119	70	37	47	16	225	1,06
	47 BAT 10 40	2F	40	125,45	131	80	37	47	16	226	1,32
	47 BAT 10 44	2	44	138,20	-	88	37	47	16	-	1,61
	47 BAT 10 48	2	48	150,95	-	95	37	47	16	-	1,93
	47 BAT 10 60	2	60	189,15	-	110	37	47	16	-	3,00

SERIE BAT 10 (PASSO 10 mm) PER CINGHIA AT LARGHEZZA 50 mm

MATERIALE	CODICE	TIPO	DENTI	De	Df	Dm	F	L	d	N° FLANGIA	Kg.
ALLUMINIO UNI 9006 - T6	66 BAT 10 18	2F	18	55,45	60	40	56	66	10	214	0,42
	66 BAT 10 19	2F	19	58,65	66	44	56	66	10	216	0,47
	66 BAT 10 20	2F	20	61,80	66	46	56	66	12	216	0,52
	66 BAT 10 22	2F	22	68,20	75	52	56	66	12	218	0,57
	66 BAT 10 24	2F	24	74,55	83	58	56	66	12	219	0,74
	66 BAT 10 25	2F	25	77,75	83	60	56	66	12	219	0,77
	66 BAT 10 26	2F	26	80,90	87	60	56	66	12	220	0,82
	66 BAT 10 27	2F	27	84,05	91	60	56	66	12	221	0,95
	66 BAT 10 28	2F	28	87,25	93	60	56	66	12	222	0,96
	66 BAT 10 30	2F	30	93,65	97	60	56	66	12	223	1,17
	66 BAT 10 32	2F	32	100,00	106	65	56	66	12	224	1,30
	66 BAT 10 36	2F	36	112,75	119	70	56	66	16	225	1,64
	66 BAT 10 40	2F	40	125,45	131	80	56	66	16	226	2,00
	66 BAT 10 44	2	44	138,20	-	88	56	66	16	-	2,36
	66 BAT 10 48	2	48	150,95	-	95	56	66	16	-	2,83
	66 BAT 10 60	2	60	189,15	-	110	56	66	16	-	4,37